

MASS.  
DOCS.  
COLL.

The Commonwealth of Massachusetts

ANNUAL REPORT

OF

THE TRUSTEES

OF THE

NORTHAMPTON STATE HOSPITAL

FOR THE

YEAR ENDING NOVEMBER 30, 1923

DEPARTMENT OF MENTAL DISEASES

LIBRARY OF THE  
COMMONWEALTH OF MASSACHUSETTS  
MARCH 1924



under the administration and supervision of our hospital with the expectation that in time the colony would become an independent institution to care for all the patients from its part of the Commonwealth.

It has also been suggested that new buildings be erected somewhere on our hospital property in Northampton (which is as accessible as any place in the four western counties) near enough to the present plant to make use of its power, heating, lighting, cooking, and laundry equipment and its farm. Till within a few years our superintendent has not favored this plan, believing an institution of not more than 600 inmates to be a desirable size. An institution of that size undoubtedly can be administered as economically as a larger one, with the incalculable advantage to the inmates and relatives of a more intimate supervision by staff, subordinate officers, and corps of employees. With the growth of our institution to its present size, now maintaining 1,100 patients, the advantages of the smaller hospital have been lost never to be regained. There seems then to be no objection to the enlargement of the present institution by the addition of five hundred or six hundred beds and our Board offers this plan for consideration as a possible solution of a very serious matter.

In our annual report for last year was recorded the destruction by fire of the club house presented to the hospital by Mrs. L. D. James in honor of Mr. James who was for twenty-four years a valued and efficient trustee of the hospital.

The club house was a fine memorial excellently adapted to its purpose and was the daily resort of many patients as a relief from the wards, and an objective place for their outing in inclement weather. It was specially valued by them as a place where they might smoke and the smoking privilege was one of the rewards for men who work in the different departments of the hospital where of course smoking can not be permitted. Since its destruction smokers have had to resort to the groves or to the piazza of the women's pavilion for their daily privilege — cold comfort on wintry days. The hope was expressed by us that this building might be replaced. We quote from our last report, "Because of its great usefulness and immeasurable benefit to the patients, and, furthermore, because it was a gift to the hospital which should be perpetuated, it is earnestly hoped that the Legislature will grant an appropriation to rebuild it". The advisability of allowing the use of tobacco by patients who have been accustomed to its use for long periods needs no argument. We were advised a few years ago by the supervisory department to be reasonably liberal in this respect. It seems unreasonable and unwise to limit the privilege now. We therefore request an appropriation of \$8,000.00 for the purpose of rebuilding it.

Further needs of the hospital are as follows and we request that the sums mentioned be appropriated by the Legislature of 1924:

Extension of the sprinkler system for fire protection. We have estimated that for putting sprinklers in the attic of the first and second halls north and to complete the equipment in the second and third halls south there will be needed the sum of \$7,375.00.

For standpipes for fire protection in the second halls north and south, and the south infirmary will be needed \$2,757.00.

To relocate the steam mains to the farm ward which need replacing will require \$250.00.

To relocate pipes in the tunnel to the laundry will require \$456.00.

Repairs to the roof and new gutters at the north infirmary will cost \$4,150.00.

Plumbing material for use of both patients and employees in the basement between the kitchen and engine rooms will need \$300.00.

A new heater is required for the green house. This will allow of a reduction of the steam pressure now carried in a long line of steam pipe, will reduce the condensation, effecting a material saving in coal, and will afford automatic control. The cost is estimated at \$320.00.

Heating coils for the dining rooms on M. 1. and U. 1. south are necessary for the comfort of patients at meal time. We can make and install them with our own help at a cost for materials of \$193.00.

An electric cable is needed as a feeder to the first, second, and third halls south and to provide for the new building authorized by the Legislature of 1923. The cost will be \$239.00.

New cables are needed to care for the outside lighting and for the street lights along both roads and walks approaching the hospital. For this is needed \$500.00.

Recording thermometers for the cold storage building will cost \$327.00.

New laundry equipment is made necessary for the increasing number of patients.

This includes a tumbler dryer, a press, and a disinfector for mattresses and bedding. The cost of these will be \$4,312.00.

Storm windows are needed on the first halls south, where patients sit. The cost will be \$165.00.

For weather strips will be needed \$600.00.

For partitions in the cold storage to provide rooms where different temperatures can be maintained will be required \$614.00.

The following changes in the personnel of officers have occurred during the year.

On June 30, 1923, Dr. O. R. Blair resigned as assistant physician.

On October 16, 1923, Dr. Rodriguez Bourgon was appointed assistant physician.

On October 16, 1923 Dr. Elizabeth Thomas was appointed assistant physician.

On April 16, 1923, John Daniel was appointed head farmer in place of Mr. Allen, resigned.

For a more detailed account of the affairs of the institution we refer to the reports of the superintendent and treasurer which are appended to our report as a part of it.

EDWARD C. GERE.	CAROLINE A. YALE.
HARRY L. HOWARD.	LUKE CORCORAN.
JOSEPH W. STEVENS.	CHARLES W. KING.
EMILY N. NEWTON.	

## SUPERINTENDENT'S REPORT.

*To the Trustees of the Northampton State Hospital.*

The superintendent's report of the affairs of the hospital for 1923 is hereby respectfully submitted.

### CHANGES IN POPULATION.

At the beginning of the hospital year, October 1, 1922, there were 1,289 patients carried on our books of whom 1,051 were in the hospital and 9 in family care, the others being away on visit or escape.

The number of cases admitted during the year was 456 making a total of 1,745 cases on our books.

There were 409 cases dismissed leaving 1,336 cases at the end of the hospital year, September 30, 1923, distributed as follows; 1,080 in the hospital, 9 in family care, 215 on visit, and 32 on escape, most of these latter having been carried on our books for several years.

The daily average population maintained during the year was 1,054.

### ADMISSIONS.

Of the 456 cases admitted 34 were temporary care and voluntary cases not committed, 82 were readmissions and 340 were first admissions to any hospital for mental diseases. These first admissions are the ones that are reported in our statistical tables.

Of the 340 first admitted to any hospital 200, or 59 per cent, were of foreign parentage, and 124, or 37 per cent, were foreign born.

The places of nativity of the foreign born patients were as follows: 24 in Canada, 24 in Ireland, 11 in Italy, 11 in Poland, 10 in Russia, 8 in Germany, 4 in Scotland, 7 in England, 7 in Austria, 4 in Greece, 3 in France, 3 in Hungary, and 1 each in China, Spain, Syria, and Turkey.

There were many among the first admissions who were advanced in age, 57 being over seventy years of age, and 22 over eighty years old. One patient was admitted at the age of 97.

The predominating psychoses of all cases admitted were, of dementia praecox 117, senile psychoses and arteriosclerosis 70, manic-depressive 56, general paresis and cerebral syphilis 25, and alcoholic psychoses, 30.

#### DISMISSALS.

There were 409 patients dismissed as follows; discharged 195, transferred to other hospitals 103, died 111. Of those discharged 68 were classified as recovered, 83 as improved, 27 as unimproved, and 16 as not insane.

The principal causes of death were: cerebral hemorrhage, 32; general paralysis, 18; chronic myocarditis, 16; pulmonary tuberculosis, 6; cerebral thrombosis, 6; nephritis, 6.

Many of the patients who died were old; 68 of them were over sixty years of age and 22 were over eighty years of age. One man had been a resident of the hospital for thirty-one years, one woman for thirty-three years, and another woman for thirty-eight years at the time of death.

#### OVERCROWDING.

The outstanding feature relative to our population is the steady increase in the numbers we must care for. This year the number admitted, the daily average number cared for, and the total number under care have been larger than in any previous year.

No additional accommodations for patients have been provided since 1905 but since then nearly 1,400 patients have been transferred from our hospital to institutions in the eastern part of the state to make room for our increasing numbers, yet in spite of this large number removed we have at present nearly 300 more than we can accommodate.

#### MEDICAL WORK.

The medical activities of the hospital have been carried on as usual but with a larger number of patients to be cared for than ever before and by a staff fewer in numbers. In each department, male and female, the medical work and supervision has been done by one physician who has had an assistant physician to help him for only part of the year. There is difficulty in finding physicians of satisfactory qualifications willing to accept service in a hospital for treatment of mental cases because it is so unattractive to many. Fortunately there has been no unusual amount of illness throughout the hospital.

The routine analyses, blood and spinal fluid tests, vaccinations against typhoid fever, small pox and the like have been done and anti-syphilitic treatments have been given in some cases of neuro-syphilis and paresis, but our assistant physicians are overworked and at times are under a strain to accomplish anything beyond the routine. They have my sincere appreciation of their loyalty and devotion to their work.

Care of the patients' teeth has been continued without interruption. A brief report of the dentist's work is as follows: alloy fillings, 712; enamel fillings, 118; rubber plates, 12; plates repaired, 9; prophylaxis, 793; extractions, 395; treatments, 398; treatments completed, 79; gutta serena fillings, 3.

#### OUT-PATIENT SERVICE.

More has been done in the outpatient department than in any previous year but fortunately we have had a full complement of workers in this service, a physician, a social worker, and an assistant psychologist.

The nature of the work has been described so fully in previous reports that only brief mention of their doings will be recorded.

Weekly psychiatric clinics have been held regularly at Springfield, Greenfield, North Adams, and Pittsfield in turn. Here individuals come of their own accord for examination and counsel or are sent by physicians, social workers, associated charities, and by the courts. Patients out on visit come to report and relatives of patients in the hospital come to make inquiries and to send messages back to their friends. Quite a number of individuals have been referred to us who were not able to come to the places where the clinics are held; these have been visited at their homes.

It has been our experience that the different charitable agencies have cooperated with us in a very helpful way and we learn that our work is highly appreciated in the different communities where we serve. Cordial and friendly relationship has been established between the hospital and the public and an increasing confidence in our hospital has been engendered.

One day each week is devoted to the Juvenile Court at Springfield by our assistant, Dr. Whitney, and has seemingly been of much benefit to the officers of the court who have expressed deep appreciation of her services. Requests for similar services have come from other courts which we have been unable to grant because of press of work on our staff. It is a service that ought to be done and will prove very helpful when established as undoubtedly will be done sometime in the near future.

The school clinics have been kept busy and there is plenty of work ahead in the examination of retarded school children who have been referred to us. Cooperation with the school authorities has been excellent where our clinics have been held and as methods and purposes are better understood it is found that parents are welcoming the new opportunities afforded; there are some communities however from which there has been no response and others where the work is being done irregularly by methods not prescribed by the Commission. There has been noticed a tendency to avoid the necessity of auxiliary classes, if possible, evidently because of the expense involved and without due consideration of the value of such classes to the schools, to retarded children, and to the community in general.

Our social worker has had supervision of patients on visit, making frequent visits to their homes, assisting in their readjustment to home and community, and advising the families as to their physical and mental condition. She attends the clinics, gets additional information for our case histories, investigates home conditions of patients before coming to the hospital, also prior to their going out on trial visit. Much time has been spent with social agencies interested in families of our patients and in all these ways she has assisted the hospitals of the eastern part of the state who have patients in our district.

The district served by our outpatient workers is large and poorly equipped with railroad and street railway facilities. As a consequence much time is lost in waiting for trains and making train connections and much expense in employing vehicles for transportation. It is often necessary for the workers to remain away from the hospital over night.

Many more visits could be made by automobile and the workers could thereby return to the hospital at night. With the open season we have had at the time of writing this report it is apparent that an automobile could be used for ten or eleven months in the year at great saving to the state. To increase the number of patients allowed to leave the hospital on probation in the event of being supervised by the social worker would effect so great a saving in maintenance costs of such patients as to more than pay for the expenses of an automobile. A request for one was included in our estimates for the budget, made in the summer months. Since the colder months of the year have come we have realized that a closed car is essential for the long rides of our district but, because, in the haste of making our estimates in the summer, we had failed to request a closed car, we are advised that a request for one cannot be entertained. If a closed car is necessary and advisable, as we believe it is, and if it

will save money for the state, the fact that it was requested in October or November rather than in August or September should not lead to its refusal. We have from 200 to 230 patients out on visit and under the supervision of the social worker. The use of a car would make it feasible to allow a larger number of patients to make the trial of living in the community, probably contributing to their own support rather than to remain here at an expense to the taxpayers.

The attendance at our outpatient clinics has been larger than ever before. The total attendance was 677. Of these 34 were referred by physicians, 21 by hospitals, 51 by charitable and other organizations, 104 by courts, 250 by schools, 13 by other patients, 23 came with their relatives, and 20 came of their own accord. Patients away from the hospital to the number of 144 reported for the first time and 330 made other than first visits.

The social service department considered 376 cases during the year, of whom 221 were new ones, 4 were renewals, and 151 were continued from the previous year. One hundred and fifty-five cases were closed during the year.

#### TRAINING SCHOOL FOR NURSES.

The training school work has been continued under discouraging conditions. There have been few pupil nurses in training and but few properly qualified applicants for the new class. Increasing demands for nurses by the multiplication of hospitals of all kinds, general, special, private and state, and the nature of the work are the reasons given for the scarcity of applicants. The same reasons also explain an existing scarcity in our institutions of attendants of good character.

There are three of our nurses taking the additional year at the affiliating hospital, the State Infirmiry at Tewksbury. Five of our graduates are still in our service, all the others having been tempted away by marriage or by positions elsewhere, that seemingly offer greater inducements.

#### OCCUPATIONAL THERAPY.

Activities have continued throughout the year in the line of occupational and industrial therapy under the supervision of three teachers. There is nothing new to report. As for many years the patients have been given instruction in the various arts and crafts that are found stimulating to convalescents.

Patients have been usefully employed in every department of the hospital, especially in the out-of-doors work contributing not only to the general welfare but especially to their own individual comfort and hastening their recovery.

#### ASSEMBLIES OF PATIENTS.

Entertainments have been provided regularly: moving pictures once a week or oftener, dancing during the cooler months of the year, observation of holidays and special occasions, concerts, sleight-of-hand and ventriloquial performances and the like. On Halloween was a party with games and "eats" in the hall, prettily decorated for the occasion. Thanksgiving and Christmas had special turkey dinners and on Christmas Eve there was a concert, and a Christmas tree with distribution of presents to everyone. A special service in honor of President Harding commemorated his death. There were numerous concerts and entertainments provided by Mr. Burton Noble, the entertainers coming from Springfield; the Northampton High School gave an excellent play, "The Woman Who Did"; McCallum's Band gave an evening's entertainment; the Clef Club from Northampton gave two concerts, and various other entertainers amused us. To all the entertainers who gave their services we express our grateful appreciation.

On each Lord's Day were two assemblies of patients for religious services, Catholic and Protestant.

In all there were two hundred and eight assemblies of patients and in each one music formed some part of the service.

Farm production has not been so favorable as hoped for. A prolonged drought during the early summer affected some of our crops quite seriously.

There was a fair yield of potatoes. If there be deducted two acres which were very unproductive, the fifteen other acres yielded well, about 190 bushels per acre. The crop of onions matured early because of the dry weather, producing about half the crop expected, and the same was true of strawberries, which set well but from lack of moisture matured only half the usual yield. The hay and ensilage crops also suffered from the dry weather. The apple crop was a failure, less than 40 barrels being gathered where the number should have been in the hundreds.

To offset some of these failures there were good crops of other products. The sunny dry weather was very favorable for the tomatoes and a large and fine yield was had; so also of cabbage and squash; 16 tons of the former and 39 tons of the latter being gathered.

We are pleased at the exceptionally fine showing of our herd in the production of milk.

The total production of milk for the past year from the 55 cows was 745,249 pounds, an average of more than 13,000 pounds per cow. The average yield per cow has increased steadily in the past three years as follows; 8,460 pounds, 8,822 and 13,452. This has been accomplished by taking out of the herd the low producers, by improved methods in feeding, and by good care, but in large measure also because of the attention given by our steward, our head farmer, and our herdsman.

Some of the cows gave an average of more than 15,000 pounds of milk, one cow giving 19,830 pounds.

There are now in our herd 112 animals; 55 cows, 29 heifers, 24 calves, and 4 bulls, about 75 per cent of which are registered. The others are too valuable to get rid of but it is hoped gradually to replace grade cows by registered stock.

Nine grade calves and 15 registered calves were raised during the year. Three registered bull calves were sent to other state institutions and four pure bred bull calves were sold to farmers in our neighborhood.

#### REPAIRS AND IMPROVEMENTS.

Much has been done in the way of repairs and improvements, the principal items of which are here recorded for convenience of reference in the future.

New fire apparatus was purchased as follows;

A 45 foot extension ladder, two 20-foot roof ladders, a truck for the 60-foot extension ladder, two 40-gallon chemical fire extinguishers on wheels, four Phomene 2½-gallon fire extinguishers, and six Alaskan 2½-gallon non-freezing fire extinguishers.

Automatic sprinkler systems were installed in the basement and attic of the administration building and in the attic of the first halls and parts of the second halls south. To supply these the old stand fire pipe in the administration building from basement to attic was replaced with a larger one and connections outside were made with the fire main that surrounds the main group of buildings.

A connection from the old 6-inch water supply main was made to the suction line of the fire pumps.

Pipes were laid from the fire main to supply the stand pipe in the stairways of the third halls north, the north infirmiry, the rear center building, and the third halls south.

The nipples in all hydrants were replaced with others having National Standard threads so that they can be used by the City Fire Department's apparatus.

The old hydrants that were connected to our service main but not to the fire main were removed.

Indicator posts were installed on pipe lines to stand pipes in the first halls north, first halls south, and south infirmary.

A new generating unit was installed in the engine room and a switch board with two panels. The engine of 120 H.P. was made by the Skinner Engine Company and the generator of 75 K.W. capacity alternating current was made by the General Electric Company.

New exhaust mains to care for all three engines were laid.

A water front on No. 2 boiler was replaced; flue gas recording thermometers were installed on all four boilers; water level regulators were installed on No. 1 and No. 2 boilers; a draft gauge was installed on No. 4 boiler; a new damper regulator for the boilers was installed; several sections of the soot blowers were replaced.

A heating coil at the piggery and a radiator in the stairway of the third halls north were installed; the steam main to the third halls south were regraded and set on roller supports, and the pipes were covered with insulation; the steam supply and return mains to the third halls north were covered with insulation.

A new line of wire, a feeder circuit, was installed through the basement corridor from the engineroom to the basement of the administration building to replace the old one that went underground across the yard; the coach barn was rewired in conduits; a conduit was laid through the tunnels to the nurses' homes to take the telephone wires; the corridor and rooms in the cold storage building were rewired; the power and lighting cables in the laundry tunnel were hung on brackets; a beginning was made of the rewiring in the basement of the administration building; a new motor was installed on the potato peeler; the house occupied by the storekeeper was wired for electric lighting.

New water supply pipes were laid in the administration building from basement to attic, to the passenger elevator, and a 4-inch pipe to the basement of the third halls south; new valves were installed in the water supply to the barns and laundry, and piping was changed so that either line can be shut off separately; water connection was made to the tenement on Grove Street.

A new rectifying tank for the ice machine and a double piped condenser were installed and a set of coils in the absorber was replaced.

A section of the plunger of the passenger elevator was replaced after being resurfaced.

The tunnel to the laundry was enlarged for a distance of 260 feet by raising the top and making it square in section instead of arched to afford more room for pipes and wires.

Cement floors were laid in the calf barn; new cement steps and loading platform were laid at the door of the storehouse; several yards of pavement were replaced in front of the storehouse; cement foundations and floors were laid for a new silo; a concrete conduit was laid in the basement floor under the third halls south for pipes and wires.

There were purchased and installed a machine for making cement blocks, a portable electric drill, a spare motor for the laundry extractors, a recording thermometer for outside temperatures, two aluminum kettles for cooking cereals.

A new plunger pump was installed at the spring house.

A booth was made and erected in the chapel for moving pictures.

Many friends have presented books and magazines and money for the purchase of presents for the Christmas tree to be given to patients who have no near relatives. We are especially grateful to the following persons and express the hope that the pleasure of giving is sufficient reward; Dr. and Mrs. W. T. Parker, Mr. N. Lyman Elmer, Mr. John D. Foley, Mrs. Mary R. Baxter, Nellie Ford, Anna Cassidy, George Joslyn, Miss Cutter, and Miss Tyler.

Respectfully submitted,

JOHN A. HOUSTON, *Superintendent.*

## VALUATION

NOVEMBER 30, 1923.

REAL ESTATE.		
		\$127,553 75
Land (513 acres)		915,329 97
Buildings		\$1,042,883 72
PERSONAL PROPERTY.		
		\$2,347 30
Travel, Transportation and Office Supplies		16,567 11
Food		18,258 46
Clothing and Materials		97,193 78
Furnishings and Household Supplies		1,629 63
Medical and General Care		12,380 42
Heat, Light and Power		29,887 21
Farm		8,724 35
Garage, Stable and Grounds		21,746 16
Repairs		\$208,734 42
SUMMARY.		
		\$1,042,883 72
Real Estate		208,734 42
Personal Property		\$1,251,618 14

## TREASURER'S REPORT.

To the Department of Mental Diseases.

I respectfully submit the following report of the finances of this institution for the fiscal year ending November 30, 1923.

CASH ACCOUNT.		
Balance December 1, 1922		\$10,847 87
Receipts.		
<i>Income.</i>		
Board of inmates:		\$51,457 94
Private		27,398 27
Reimbursements, insane		\$78,856 21
Personal services:		85 45
Reimbursement from Board of Retirement		
Sales:		\$463 66
Food		37 50
Clothing and materials		5 00
Furnishings and household supplies		
Farm:		\$140 00
Cows and calves		93 90
Hides		233 90
Repairs, ordinary		246 74
Arts and crafts sales		139 52
		1,126 32
Miscellaneous:		\$522 55
Interest on bank balances		766 00
Rent		1,288 55
		81,356 53
Other receipts:		\$120 50
Refunds of previous year		25 47
Refunds account wages unclaimed		145 97
		\$5,513 99
<i>Receipts from Treasury of Commonwealth.</i>		
Maintenance appropriations:		\$5,513 99
Balance of 1922		289,511 29
Advance money (amount on hand Nov. 30)		295,025 28
		\$387,375 65
Total		
Payments.		
To treasury of Commonwealth:		\$81,356 53
Institution income		120 50
Refunds of previous year		25 47
Refunds account wages unclaimed		\$81,502 50
Maintenance appropriations:		\$16,361 86
Balance of schedules of previous year		289,511 29
Approved schedules of 1923		305,873 15
		\$387,375 65
Total		

TABLE 4. — *Nativity of First Admissions and of Parents of First Admissions.*

NATIVITY.	PATIENTS.			PARENTS OF MALE PATIENTS.			PARENTS OF FEMALE PATIENTS.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
	United States . . . . .	96	119	215	61	59	120	76	71
Austria . . . . .	5	2	7	6	7	13	2	2	4
Canada . . . . .	9	15	24	16	15	31	24	30	54
China . . . . .	1	—	1	1	—	1	—	—	—
England . . . . .	5	2	7	6	5	11	3	1	4
France . . . . .	—	3	3	—	—	—	4	4	8
Germany . . . . .	5	3	8	9	9	18	7	5	12
Greece . . . . .	3	1	4	3	3	6	1	1	2
Hungary . . . . .	2	1	3	2	2	4	1	1	2
Ireland . . . . .	11	13	24	26	30	56	36	39	75
Italy . . . . .	6	5	11	6	6	12	7	7	14
Poland . . . . .	8	3	11	9	9	18	4	4	8
Russia . . . . .	7	3	10	10	9	19	3	3	6
Scotland . . . . .	4	4	8	5	4	9	3	3	6
Spain . . . . .	—	1	1	—	—	—	1	1	2
Syria . . . . .	1	—	1	1	1	2	—	—	—
Turkey in Europe . . . . .	1	—	1	1	1	2	—	—	—
Total foreign born . . . . .	68	56	124	101	102	203	96	101	197
Unascertained . . . . .	1	—	1	3	4	7	3	3	6
Grand total . . . . .	165	175	340	165	165	330	175	175	350

TABLE 5. — *Citizenship of First Admissions.*

	M.	F.	T.
Citizens by birth . . . . .	96	119	215
Citizens by naturalization . . . . .	27	22	49
Aliens . . . . .	39	29	68
Citizenship unascertained . . . . .	3	5	8
Total . . . . .	165	175	340

TABLE 6. — *Psychoses of First Admissions.*

PSYCHOSES.	M.			F.			T.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic, Total . . . . .	—	—	—	—	—	—	3	—	3
Traumatic constitution . . . . .	2	—	2	—	—	—	—	—	—
Post-traumatic mental enfeeblement . . . . .	1	—	1	—	—	—	—	—	—
2. Senile, Total . . . . .	—	—	—	16	24	40	—	—	—
Simple deterioration . . . . .	5	7	12	—	—	—	—	—	—
Presbyophrenic type . . . . .	5	4	9	—	—	—	—	—	—
Delirious and confused types . . . . .	2	3	5	—	—	—	—	—	—
Depressed and agitated states . . . . .	1	4	5	—	—	—	—	—	—
Paranoid types . . . . .	3	6	9	—	—	—	—	—	—
3. With cerebral arteriosclerosis . . . . .	—	—	—	13	15	28	—	—	—
4. General paralysis . . . . .	—	—	—	13	6	19	—	—	—
5. With cerebral syphilis . . . . .	—	—	—	2	3	5	—	—	—
6. With Huntington's chorea . . . . .	—	—	—	—	—	—	—	—	—
7. With brain tumor . . . . .	—	—	—	—	—	—	—	—	—
8. With other brain or nervous diseases, Total . . . . .	—	—	—	—	4	4	—	—	—
Cerebral embolism . . . . .	—	1	1	—	—	—	—	—	—
Cerebro-spinal syphilis . . . . .	—	3	3	—	—	—	—	—	—
9. Alcoholic, Total . . . . .	—	—	—	19	4	23	—	—	—
Korsakow's psychosis . . . . .	2	1	3	—	—	—	—	—	—
Acute hallucinosis . . . . .	12	2	14	—	—	—	—	—	—
Chronic hallucinosis . . . . .	2	—	2	—	—	—	—	—	—
Acute paranoid type . . . . .	1	—	1	—	—	—	—	—	—
Chronic paranoid type . . . . .	2	1	3	—	—	—	—	—	—
10. Due to drugs and other exogenous toxins . . . . .	—	—	—	—	—	—	—	—	—
11. With pellagra . . . . .	—	—	—	—	1	1	—	—	—
12. With other somatic diseases, Total . . . . .	—	—	—	6	7	13	—	—	—
Post-infectious psychosis . . . . .	—	3	3	—	—	—	—	—	—
Exhaustion delirium . . . . .	2	1	3	—	—	—	—	—	—
Delirium of unknown origin . . . . .	—	1	1	—	—	—	—	—	—
Cardio-renal disease . . . . .	4	2	6	—	—	—	—	—	—

TABLE 6. — *Psychoses of First Admissions — Concluded.*

PSYCHOSES.	M.			F.			T.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
13. Manic-depressive, Total . . . . .	—	—	—	14	27	41	—	—	—
Manic type . . . . .	6	6	12	—	—	—	—	—	—
Depressive type . . . . .	10	16	26	—	—	—	—	—	—
Stupor . . . . .	—	3	3	—	—	—	—	—	—
Mixed type . . . . .	2	3	5	—	—	—	—	—	—
Circular type . . . . .	—	5	5	—	—	—	—	—	—
14. Involution melancholia . . . . .	—	—	—	4	6	10	—	—	—
15. Dementia praecox, Total . . . . .	18	23	41	53	48	101	—	—	—
Paranoid type . . . . .	19	10	29	—	—	—	—	—	—
Catatonic type . . . . .	11	9	20	—	—	—	—	—	—
Hebephrenic type . . . . .	5	7	12	—	—	—	—	—	—
Simple type . . . . .	—	—	—	—	—	—	—	—	—
16. Paranoia and paranoid conditions . . . . .	—	—	—	1	4	5	—	—	—
17. Epileptic, Total . . . . .	1	1	2	—	—	—	—	—	—
Deterioration . . . . .	—	3	3	—	—	—	—	—	—
Clouded state . . . . .	—	—	—	—	6	6	—	—	—
18. Psychoneuroses, Total . . . . .	—	2	2	—	—	—	—	—	—
Hysterical type . . . . .	—	2	2	—	—	—	—	—	—
Psychasthenic type . . . . .	—	2	2	—	—	—	—	—	—
Neurasthenic type . . . . .	—	—	—	1	2	3	—	—	—
19. With psychopathic personality . . . . .	—	—	—	7	5	12	—	—	—
20. With mental deficiency . . . . .	—	—	—	6	9	15	—	—	—
21. Unadiagnosed . . . . .	—	—	—	7	4	11	—	—	—
22. Without psychosis, Total . . . . .	1	2	3	—	—	—	—	—	—
Psychopathic personality without psychosis . . . . .	6	1	7	—	—	—	—	—	—
Mental deficiency without psychosis . . . . .	—	1	1	—	—	—	—	—	—
Senility without psychosis . . . . .	—	—	—	—	—	—	—	—	—
Total . . . . .	—	—	—	165	175	340	—	—	—

TABLE 7. — *Race of First Admissions classified with Reference to Psychoses.*

RACE.	TOTAL.			TRAUMATIC.			SENILE.			WITH CEREBRAL ARTERIO-SCLEROSIS.			GENERAL PARALYSIS.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	African . . . . .	4	2	6	—	—	—	1	—	1	—	—	—	1	1
Chinese . . . . .	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Dutch and Flemish . . . . .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	3
English . . . . .	9	3	12	1	—	1	1	1	1	1	1	1	3	2	4
French . . . . .	15	25	40	—	—	—	3	3	6	2	1	1	1	1	1
German . . . . .	8	8	16	—	—	—	1	1	2	—	—	—	—	—	—
Greek . . . . .	3	1	4	—	—	—	—	—	—	—	—	—	—	—	1
Hebrew . . . . .	4	1	5	—	—	—	—	—	—	—	—	—	—	—	1
Irish . . . . .	30	37	67	1	—	1	3	4	7	3	1	4	—	—	1
Italian . . . . .	6	7	13	—	—	—	—	—	—	—	—	—	—	—	—
Lithuanian . . . . .	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Magyar . . . . .	5	1	6	—	—	—	—	—	—	—	—	—	—	—	—
Scandinavian . . . . .	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Scotch . . . . .	5	6	11	1	—	1	1	1	1	1	1	1	—	—	—
Slavonic . . . . .	17	7	24	—	—	—	—	—	—	—	—	—	—	—	—
Spanish . . . . .	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—
Syrian . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mixed . . . . .	55	74	129	—	—	—	6	16	22	6	11	17	5	2	7
Total . . . . .	165	175	340	3	—	3	16	24	40	13	15	28	13	6	19

TABLE 8. — Age of First Admissions classified with Reference to Principal Psychoses — Continued.

PSYCHOSES.	30-34 YEARS.			35-39 YEARS.			40-44 YEARS.			45-49 YEARS.			50-54 YEARS.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	1. Traumatic	-	-	-	-	-	-	2	-	2	1	-	1	-	-
2. Senile	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. With cerebral arteriosclerosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. General paralysis	-	-	-	2	-	2	2	1	3	4	3	7	-	1	1
5. With cerebral syphilis	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous diseases	-	-	-	-	-	-	2	2	-	2	1	1	-	-	-
9. Alcoholic	5	-	5	4	-	4	2	1	3	2	-	2	2	1	3
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
12. With other somatic diseases	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
13. Manic-depressive	1	6	7	1	4	5	2	2	4	-	5	5	1	-	-
14. Involution melancholia	-	-	-	-	-	-	-	-	-	2	1	3	-	1	1
15. Dementia praecox	11	5	16	6	7	13	4	5	9	2	6	8	3	4	7
16. Paranoia and other paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18. Psychoneuroses	-	-	-	3	3	-	1	1	-	1	1	-	-	-	-
19. With psychopathic personality	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
20. With mental deficiency	2	-	2	2	-	2	-	-	-	2	2	-	-	-	-
21. Undiagnosed	-	-	-	1	1	-	1	1	-	2	1	3	-	1	1
22. Without psychosis	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-
Total	19	14	33	17	16	33	12	15	27	14	21	35	7	8	15

TABLE 8. — Age of First Admissions classified with Reference to Principal Psychoses — Concluded.

PSYCHOSES.	55-59 YEARS.			60-64 YEARS.			65-69 YEARS.			70-74 YEARS.			75 YEARS AND OVER.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
	1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	-	-	-	-	-	-	2	4	6	3	7	10	11	13	24
3. With cerebral arteriosclerosis	-	-	-	3	-	3	6	2	8	1	1	2	3	12	15
4. General paralysis	3	-	3	1	1	1	1	-	1	-	-	-	-	-	-
5. With cerebral syphilis	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous diseases	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
9. Alcoholic	-	1	1	1	-	1	-	-	-	-	-	-	1	-	1
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	-	-	-	1	-	1	2	-	2	1	1	1	1	1	2
13. Manic-depressive	2	1	3	2	1	3	1	-	2	1	-	-	-	-	-
14. Involution melancholia	2	2	4	-	4	4	-	2	2	-	-	-	-	-	-
15. Dementia praecox	1	4	5	-	4	4	-	1	1	-	1	1	-	-	-
16. Paranoia and other paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18. Psychoneuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19. With psychopathic personality	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
20. With mental deficiency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21. Undiagnosed	-	1	1	-	1	1	2	-	2	-	-	-	-	-	-
22. Without psychosis	-	1	1	-	-	-	1	-	1	-	-	-	1	-	1
Total	8	11	19	7	9	16	15	10	25	4	10	14	17	26	43

TABLE 9. — Degree of Education of First Admissions classified with Reference to Psychoses.

PSYCHOSES.	TOTAL.			ILLITERATE.			READS AND WRITES.			COMMON SCHOOL.			HIGH SCHOOL.			COLLEGE.			UNASCERTAINED.			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
	1. Traumatic	3	24	40	1	1	1	15	8	13	1	15	22	1	1	1	1	1	1	1	1	1
2. Senile	16	15	28	1	1	1	7	3	6	2	8	14	1	1	1	1	1	1	1	1	1	1
3. With cerebral arteriosclerosis	13	15	19	1	1	1	5	5	5	2	8	13	1	1	1	1	1	1	1	1	1	1
4. General paralysis	2	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. With cerebral syphilis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. With Huntington's chorea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. With brain tumor	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. With other brain or nervous diseases	19	4	23	4	1	5	10	1	11	3	4	7	1	1	1	1	1	1	1	1	1	1
9. Alcoholic	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Due to drugs and other exogenous toxins	6	7	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. With pellagra	14	27	41	1	1	1	1	1	1	2	2	4	1	1	1	1	1	1	1	1	1	1
12. With other somatic diseases	4	6	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
13. Manic-depressive	53	48	101	2	4	6	13	10	23	3	28	52	10	6	16	4	4	4	4	4	4	4
14. Involution melancholia	1	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
15. Dementia praecox	1	6	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
16. Paranoia and paranoid conditions	1	6	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17. Epileptic	1	6	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
18. Psychoneuroses	7	5	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
19. With psychopathic personality	6	9	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
20. With mental deficiency	6	9	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
21. Undiagnosed	7	4	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
22. Without psychosis	165	175	340	13	12	25	50	37	87	76	98	174	21	22	43	5	5	5	5	5	5	5
Total	340	340	680	13	12	25	50	37	87	76	98	174	21	22	43	5	5	5	5	5	5	5

TABLE 10. — *Environment of First Admissions classified with Reference to Principal Psychoses.*

PSYCHOSES.	TOTAL.			URBAN.			RURAL.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	3	-	3	2	-	2	1	-	1
2. Senile	16	24	40	11	16	27	5	8	13
3. With cerebral arteriosclerosis	13	15	28	8	12	20	5	3	8
4. General paralysis	13	6	19	10	6	16	3	-	3
5. With cerebral syphilis	2	3	5	2	1	3	-	2	2
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-
8. With other brain or nervous diseases	-	4	4	-	4	4	-	-	-
9. Alcoholic	19	4	23	18	3	21	1	1	2
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-
11. With pellagra	-	1	1	-	1	1	-	-	-
12. With other somatic diseases	6	7	13	5	5	10	1	2	3
13. Manic depressive	14	27	41	9	19	28	5	8	13
14. Involution melancholia	4	6	10	1	5	6	3	1	4
15. Dementia præcox	53	48	101	33	33	66	20	15	35
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-
17. Epileptic	1	4	5	1	4	5	-	-	-
18. Psychoneuroses	-	6	6	-	3	3	-	3	3
19. With psychopathic personality	1	2	3	-	1	1	1	1	2
20. With mental deficiency	7	5	12	6	4	10	1	1	2
21. Undiagnosed	6	9	15	4	6	10	2	3	5
22. Without psychosis	7	4	11	4	3	7	3	1	4
Total	165	175	340	114	126	240	51	49	100

TABLE 11. — *Economic Condition of First Admissions classified with Reference to Principal Psychoses.*

PSYCHOSES.	TOTAL.			DE- PENDENT.			MARGINAL.			COMFORT- ABLE.			UNASCER- TAINED.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	3	-	3	-	-	3	-	3	-	-	-	-	-	-	-
2. Senile	16	24	40	1	5	6	10	12	22	5	7	12	-	-	-
3. With cerebral arteriosclerosis	13	15	28	-	1	1	11	10	21	1	4	5	1	-	1
4. General paralysis	13	6	19	-	-	-	11	5	16	1	1	1	2	-	2
5. With cerebral syphilis	2	3	5	-	-	-	1	3	4	1	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous dis- eases	-	4	4	-	-	-	3	3	-	1	1	-	-	-	-
9. Alcoholic	19	4	23	-	-	-	18	2	20	-	2	2	1	-	1
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-
12. With other somatic diseases	6	7	13	1	1	4	3	7	1	4	5	-	-	-	-
13. Manic depressive	14	27	41	2	1	3	8	20	28	4	6	10	-	-	-
14. Involution melancholia	4	6	10	1	-	3	3	3	6	3	3	-	-	-	-
15. Dementia præcox	53	48	101	2	3	5	37	37	74	12	8	20	2	-	2
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	1	4	5	-	-	1	4	5	-	-	-	-	-	-	-
18. Psychoneuroses	-	6	6	-	2	2	2	2	2	2	2	-	-	-	-
19. With psychopathic personality	1	2	3	-	-	1	2	3	-	-	-	-	-	-	-
20. With mental deficiency	7	5	12	-	1	1	5	4	9	1	1	1	-	1	1
21. Undiagnosed	6	9	15	-	-	5	7	12	1	2	3	-	-	-	-
22. Without psychosis	7	4	11	-	3	3	5	1	6	2	-	2	-	-	-
Total	165	175	340	7	16	23	123	118	241	28	41	69	7	-	7

TABLE 12. — *Use of Alcohol by First Admissions classified with Reference to Principal Psychoses.*

PSYCHOSES.	TOTAL.			ABSTINENT.			TEM- PERATE.			INTEM- PERATE.			UNASCER- TAINED.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	3	-	3	1	-	1	1	-	1	-	-	1	-	-	-
2. Senile	16	24	40	8	19	27	5	3	8	2	-	2	1	2	3
3. With cerebral arteriosclerosis	13	15	28	3	13	16	10	1	11	-	-	-	-	-	-
4. General paralysis	13	6	19	1	2	3	7	3	10	4	1	5	1	-	1
5. With cerebral syphilis	2	3	5	1	3	4	1	-	1	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous dis- eases	-	4	4	-	3	3	-	1	1	-	-	-	-	-	-
9. Alcoholic	19	4	23	-	-	-	-	-	-	19	4	23	-	-	-
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	6	7	13	-	7	7	4	-	4	2	-	2	-	-	-
13. Manic depressive	14	27	41	3	22	25	9	5	14	2	-	2	-	-	-
14. Involution melancholia	4	6	10	2	4	6	2	2	4	4	-	-	-	-	-
15. Dementia præcox	53	48	101	27	40	67	21	5	26	4	3	7	1	-	1
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	1	4	5	1	3	4	-	1	1	-	-	-	-	-	-
18. Psychoneuroses	-	6	6	-	6	6	-	-	-	-	-	-	-	-	-
19. With psychopathic personality	1	2	3	1	2	3	-	-	-	-	-	-	-	1	1
20. With mental deficiency	7	5	12	2	4	6	5	-	5	1	-	1	-	1	1
21. Undiagnosed	6	9	15	3	7	10	2	1	3	3	-	-	-	-	-
22. Without psychosis	7	4	11	5	3	8	2	1	3	-	-	-	-	-	-
Total	165	175	340	58	139	197	69	23	92	35	8	43	3	5	8



TABLE 13. — *Marital Condition of First Admissions classified with Reference to Principal Psychoses.*

PSYCHOSES.	TOTAL.			SINGLE.			MARRIED.			WIDOWED.			SEPARATED.			DIVORCED.			UNASCERTAINED.			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
1. Traumatic . . . . .	3	16	19	1	6	7	1	2	3	1	16	21	1	1	1	1	1	1	1	1	1	1
2. Senile . . . . .	40	15	55	10	4	14	9	3	12	8	21	11	1	1	1	1	1	1	1	1	1	1
3. With cerebral arteriosclerosis . . . . .	28	13	41	3	3	6	8	6	14	1	1	1	1	1	1	1	1	1	1	1	1	1
4. General paralysis . . . . .	19	3	22	3	1	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
5. With cerebral syphilis . . . . .	5	1	6	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
6. With Huntington's chorea . . . . .	1	1	2	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
7. With brain tumor . . . . .	1	1	2	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
8. With other brain or nervous diseases . . . . .	4	1	5	1	1	2	3	3	6	3	3	3	1	1	1	1	1	1	1	1	1	1
9. Alcoholic . . . . .	23	4	27	6	1	7	13	3	16	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Due to drugs and other exogenous toxins . . . . .	1	1	2	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
11. With pellagra . . . . .	1	1	2	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
12. With other somatic diseases . . . . .	17	6	23	4	1	5	13	4	17	3	3	3	2	2	2	2	2	2	2	2	2	2
13. Manic-depressive . . . . .	27	14	41	11	4	15	20	14	34	3	3	3	5	5	5	5	5	5	5	5	5	5
14. Involution melancholia . . . . .	4	4	8	2	2	4	7	4	11	2	2	2	2	2	2	2	2	2	2	2	2	2
15. Dementia præcox . . . . .	48	101	149	39	21	60	29	18	47	7	7	7	1	1	1	1	1	1	1	1	1	1
16. Paranoia and paranoid conditions . . . . .	1	4	5	1	3	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
17. Epileptic . . . . .	4	6	10	3	5	8	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
18. Psychoneuroses . . . . .	6	6	12	2	2	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
19. With psychopathic personality . . . . .	2	2	4	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
20. With mental deficiency . . . . .	7	9	16	4	5	9	4	4	8	1	1	1	1	1	1	1	1	1	1	1	1	1
21. Undiagnosed . . . . .	4	4	8	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
22. Without psychosis . . . . .	1	2	3	1	2	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Total . . . . .	165	175	340	79	66	145	62	65	127	19	37	56	2	3	5	2	4	6	1	1	1	1

TABLE 14. — *Psychoses of Readmissions.*

PSYCHOSES.	M.			F.			T.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic . . . . .	1	1	2	1	1	2	1	1	2
2. Senile . . . . .	5	1	6	5	1	6	5	1	6
3. With cerebral arteriosclerosis . . . . .	1	1	2	1	1	2	1	1	2
4. General paralysis . . . . .	1	1	2	1	1	2	1	1	2
5. With cerebral syphilis . . . . .	1	1	2	1	1	2	1	1	2
6. With Huntington's chorea . . . . .	1	1	2	1	1	2	1	1	2
7. With brain tumor . . . . .	1	1	2	1	1	2	1	1	2
8. With other brain or nervous diseases . . . . .	1	1	2	1	1	2	1	1	2
9. Alcoholic, total . . . . .	1	1	2	1	1	2	1	1	2
(c) Korsakow's psychosis . . . . .	1	1	2	1	1	2	1	1	2
(d) Acute hallucinosis . . . . .	1	1	2	1	1	2	1	1	2
(f) Acute paranoid type . . . . .	1	1	2	1	1	2	1	1	2
10. Due to drugs and other exogenous toxins . . . . .	1	1	2	1	1	2	1	1	2
11. With pellagra . . . . .	1	1	2	1	1	2	1	1	2
12. With other somatic diseases, total . . . . .	1	1	2	1	1	2	1	1	2
(d) Delirium of unknown origin . . . . .	1	1	2	1	1	2	1	1	2
(e) Cardio-venal disease . . . . .	1	1	2	1	1	2	1	1	2
13. Manic-depressive, total . . . . .	5	3	8	5	3	8	5	3	8
(a) Manic type . . . . .	6	5	11	6	5	11	6	5	11
(b) Depressed type . . . . .	1	1	2	1	1	2	1	1	2
(c) Stuporous type . . . . .	1	1	2	1	1	2	1	1	2
(d) Mixed type . . . . .	1	1	2	1	1	2	1	1	2
(e) Circular type . . . . .	2	2	4	2	2	4	2	2	4
14. Involution melancholia . . . . .	1	1	2	1	1	2	1	1	2
15. Dementia præcox, total . . . . .	7	3	10	7	3	10	7	3	10
(a) Paranoid type . . . . .	4	3	7	4	3	7	4	3	7
(b) Catatonic type . . . . .	4	3	7	4	3	7	4	3	7
(c) Hebephrenic type . . . . .	5	2	7	5	2	7	5	2	7
16. Paranoid and paranoid conditions . . . . .	1	1	2	1	1	2	1	1	2
17. Epileptic . . . . .	1	1	2	1	1	2	1	1	2
18. Psychoneuroses . . . . .	1	1	2	1	1	2	1	1	2
19. With psychopathic personality . . . . .	1	1	2	1	1	2	1	1	2
20. With mental deficiency . . . . .	1	1	2	1	1	2	1	1	2
21. Undiagnosed . . . . .	1	1	2	1	1	2	1	1	2
22. Without psychosis . . . . .	1	1	2	1	1	2	1	1	2
(c) Drug addiction without psychosis . . . . .	1	1	2	1	1	2	1	1	2
(e) Mental deficiency without psychosis . . . . .	1	1	2	1	1	2	1	1	2
Total . . . . .	44	31	75	44	31	75	44	31	75

TABLE 15. — *Discharge of Patients classified with Reference to Principal Psychoses and Condition on Discharge.*

PSYCHOSES.	TOTAL.			RECOVERED.			IMPROVED.			UNIMPROVED.			NOT INSANE.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic . . . . .	3	16	19	3	16	19	3	16	19	3	16	19	3	16	19
2. Senile . . . . .	40	15	55	40	15	55	40	15	55	40	15	55	40	15	55
3. With cerebral arteriosclerosis . . . . .	28	13	41	28	13	41	28	13	41	28	13	41	28	13	41
4. General paralysis . . . . .	19	3	22	19	3	22	19	3	22	19	3	22	19	3	22
5. With cerebral syphilis . . . . .	5	1	6	5	1	6	5	1	6	5	1	6	5	1	6
6. With Huntington's chorea . . . . .	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
7. With brain tumor . . . . .	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
8. With other brain or nervous diseases . . . . .	4	1	5	4	1	5	4	1	5	4	1	5	4	1	5
9. Alcoholic . . . . .	23	4	27	23	4	27	23	4	27	23	4	27	23	4	27
10. Due to drugs and other exogenous toxins . . . . .	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
11. With pellagra . . . . .	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
12. With other somatic diseases . . . . .	17	6	23	17	6	23	17	6	23	17	6	23	17	6	23
13. Manic-depressive . . . . .	27	14	41	27	14	41	27	14	41	27	14	41	27	14	41
14. Involution melancholia . . . . .	4	4	8	4	4	8	4	4	8	4	4	8	4	4	8
15. Dementia præcox . . . . .	48	101	149	48	101	149	48	101	149	48	101	149	48	101	149
16. Paranoia and paranoid conditions . . . . .	1	4	5	1	4	5	1	4	5	1	4	5	1	4	5
17. Epileptic . . . . .	4	6	10	4	6	10	4	6	10	4	6	10	4	6	10
18. Psychoneuroses . . . . .	6	6	12	6	6	12	6	6	12	6	6	12	6	6	12
19. With psychopathic personality . . . . .	2	2	4	2	2	4	2	2	4	2	2	4	2	2	4
20. With mental deficiency . . . . .	7	9	16	7	9	16	7	9	16	7	9	16	7	9	16
21. Undiagnosed . . . . .	4	4	8	4	4	8	4	4	8	4	4	8	4	4	8
22. Without psychosis . . . . .	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
Total . . . . .	71	92	163	71	92	163	71	92	163	71	92	163	71	92	163

TABLE 16. — Causes of Death of Patients classified with Reference to Principal Psychoses.

CAUSE OF DEATH.	TOTAL.			SENILE.			WITH CEREBRAL ARTERIO-SCLEROSIS.			GENERAL PARALYSIS.			WITH CEREBRAL SYPHILIS.			WITH BRAIN TUMOR.			WITH OTHER BRAIN OR NERVOUS DISEASES.			ALCOHOLIC.			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
<i>General Diseases.</i>																									
Carcinoma of intestine	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma of liver	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma of stomach	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma of uterus	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas of face	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Pernicious anemia	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, general	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, pulmonary	-	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Nervous System.</i>																									
Brain tumor	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Cerebral hemorrhage	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Exhaustion following suicidal attempt	14	18	32	3	5	8	9	10	19	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-	-
General paralysis of the insane	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Status epilepticus	16	2	18	-	-	-	-	-	-	16	2	18	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Respiratory System.</i>																									
Broncho pneumonia	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Circulatory System.</i>																									
Cerebral embolism	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis	-	6	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myocarditis, acute	1	1	2	-	1	1	-	-	2	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1
Myocarditis, chronic	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pericarditis, acute	11	5	16	3	2	5	5	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Digestive System.</i>																									
Gastro-enteritis	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Genito-urinary System.</i>																									
Nephritis	6	2	8	1	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
<i>Diseases of the Skin.</i>																									
Gangrene of foot	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	58	50	108	7	9	16	15	17	32	16	2	18	-	3	3	-	1	1	-	1	1	2	4	-	4

P.D. 21.

P.D. 21.

TABLE 16. — Causes of Death of Patients classified with Reference to Principal Psychoses — Concluded.

CAUSE OF DEATH.	WITH OTHER SOMATIC DISEASES.			MANIC-DEPRESSIVE.			INVOLUTION MELANCHOLIA.			DEMENTIA PRÆCOX.			EPILEPTIC.			WITH PSYCHOPATHIC PERSONALITY.			WITH MENTAL DEFICIENCY.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
<i>General Diseases.</i>																					
Carcinoma of intestine	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma of liver	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Carcinoma of stomach	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Carcinoma of uterus	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas of face	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Pernicious anemia	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis, general	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, pulmonary	-	-	-	-	-	-	1	1	-	-	-	-	4	4	-	-	-	-	-	-	-
<i>Nervous System.</i>																					
Cerebral hemorrhage	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
Exhaustion following suicidal attempt	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Status epilepticus	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
<i>Respiratory System.</i>																					
Broncho pneumonia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
<i>Circulatory System.</i>																					
Cerebral thrombosis	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Myocarditis, acute	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Myocarditis, chronic	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
Pericarditis, acute	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
<i>Digestive System.</i>																					
Gastro-enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Genito-urinary System.</i>																					
Nephritis	-	-	-	3	-	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
<i>Diseases of the Skin.</i>																					
Gangrene of foot	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Total	-	-	-	3	2	5	3	5	8	3	2	5	4	7	11	-	1	1	1	-	1

TABLE 17.—Age of Patients at Time of Death classified with Reference to Principal Psychoses.

PSYCHOSES.	TOTAL.			UNDER 15 YEARS.			15-19 YEARS.			20-24 YEARS.			25-29 YEARS.			30-34 YEARS.			35-39 YEARS.			40-44 YEARS.			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Senile	7	9	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. With cerebral arteriosclerosis	15	17	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. General paralysis	16	2	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. With cerebral syphilis	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. With brain tumor	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. With other brain or nervous diseases	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9. Alcoholic	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11. With pellagra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12. With other somatic diseases	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13. Manic-depressive	3	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14. Involution melancholia	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15. Dementia præcox	4	7	11	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17. Epileptic	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18. Psychoneuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19. With psychopathic personality	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20. With mental deficiency	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21. Undiagnosed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22. Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	58	50	108	-	-	-	-	-	1	1	-	-	-	-	3	3	1	2	3	3	2	5	3	2	5

P.D. 21.

P.D. 21.

TABLE 17.—Age of Patients at Time of Death classified with Reference to Principal Psychoses—Concluded.

PSYCHOSES.	45-49 YEARS.			50-54 YEARS.			55-59 YEARS.			60-64 YEARS.			65-69 YEARS.			70-74 YEARS.			75-79 YEARS.			OVER 80 YEARS.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	-	-	-	-	-	-	-	-	-	2	1	3	2	2	6	3	2	5	2	1	3	1	8	9
3. With cerebral arteriosclerosis	-	-	-	-	-	-	-	-	-	2	1	3	3	3	6	3	2	5	3	6	9	4	5	9
4. General paralysis	7	-	7	1	2	3	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5. With cerebral syphilis	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9. Alcoholic	1	-	1	1	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	1
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	1	1	2	-	-	-	1	-	1
13. Manic-depressive	-	-	-	-	1	1	1	2	3	1	2	3	1	1	1	-	-	-	-	-	-	-	-	-
14. Involution melancholia	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	1	2	-	-	-	1	1	2	-
15. Dementia præcox	-	-	-	-	-	-	-	-	-	2	2	1	1	2	-	-	-	-	-	-	1	1	2	-
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18. Psychoneuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19. With psychopathic personality	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
20. With mental deficiency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21. Undiagnosed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22. Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	8	-	8	2	4	6	6	3	9	8	5	13	9	4	13	4	2	6	6	8	14	8	14	22

TABLE 18. — Total Duration of Hospital Life of Patients dying in Hospital classified according to Psychoses.

PSYCHOSES.	TOTAL.			LESS THAN 1 MONTH.			1-3 MONTHS.			4-7 MONTHS.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	7	9	16	-	-	-	4	1	5	-	-	-
3. With cerebral arteriosclerosis	15	17	32	5	2	7	3	7	10	3	1	4
4. General paralysis	16	2	18	6	-	6	1	-	1	2	1	3
5. With cerebral syphilis	-	3	3	-	-	-	-	-	-	-	2	2
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	1	1	-	-	-	-	-	-	-	1	1
8. With other brain or nervous diseases	1	1	2	-	-	-	-	-	1	1	-	-
9. Alcoholic	4	-	4	-	-	-	-	-	-	-	-	-
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	-	-	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	3	2	5	3	2	5	-	-	-	-	-	-
13. Manic-depressive	3	5	8	-	-	-	-	-	-	2	-	-
14. Involution melancholia	3	2	5	-	-	-	2	1	3	-	-	2
15. Dementia praecox	4	7	11	-	1	1	1	-	1	-	1	1
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	-	1	1	-	-	-	-	-	-	-	-	-
18. Psychoneuroses	-	-	-	-	-	-	-	-	-	-	-	-
19. With psychopathic personality	1	-	1	-	-	-	-	-	-	-	-	-
20. With mental deficiency	1	-	1	1	-	1	-	-	-	-	-	-
21. Undiagnosed	-	-	-	-	-	-	-	-	-	-	-	-
22. Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-
Total	58	50	108	15	5	20	11	11	22	7	8	15

TABLE 18. — Total Duration of Hospital Life of Patients dying in Hospital classified according to Psychoses — Continued.

PSYCHOSES.	8-12 MONTHS.			1-2 YEARS.			3-4 YEARS.			5-10 YEARS.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	-	-	-	1	4	5	2	-	2	-	2	2
3. With cerebral arteriosclerosis	-	1	1	2	3	5	1	3	4	1	-	1
4. General paralysis	2	-	2	4	-	4	1	1	2	-	-	-
5. With cerebral syphilis	-	-	-	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous diseases	-	-	-	-	-	-	1	-	1	-	-	-
9. Alcoholic	-	-	-	2	-	2	-	-	-	2	-	2
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	-	-	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	-	-	-	-	-	-	-	-	-	-	-	-
13. Manic-depressive	-	-	-	4	4	-	-	-	1	-	1	-
14. Involution melancholia	-	-	-	-	-	-	-	-	-	1	1	-
15. Dementia praecox	-	-	-	1	1	1	-	1	-	-	2	2
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	-	-	-	-	-	-	-	1	1	-	-	-
18. Psychoneuroses	-	-	-	-	-	-	-	-	-	-	-	-
19. With psychopathic personality	-	-	-	1	-	1	-	-	-	-	-	-
20. With mental deficiency	-	-	-	-	-	-	-	-	-	-	-	-
21. Undiagnosed	-	-	-	-	-	-	-	-	-	-	-	-
22. Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-
Total	2	1	3	10	12	22	6	5	11	4	5	9

TABLE 18. — Total Duration of Hospital Life of Patients dying in Hospital classified according to Psychoses — Concluded.

PSYCHOSES.	10-15 YEARS.			15-20 YEARS.			20-30 YEARS.			30 YEARS AND OVER.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	-	-	-	-	-	-	-	-	-	-	-	-
3. With cerebral arteriosclerosis	-	-	-	-	-	-	-	-	-	-	-	-
4. General paralysis	-	-	-	-	-	-	-	-	-	-	-	-
5. With cerebral syphilis	-	-	-	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous diseases	-	-	-	-	-	-	-	-	-	-	-	-
9. Alcoholic	-	-	-	-	-	-	-	-	-	-	-	-
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	-	-	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	-	-	-	-	-	-	-	-	-	-	-	-
13. Manic-depressive	-	-	-	-	1	1	-	-	-	-	-	-
14. Involution melancholia	-	-	-	1	-	1	-	-	-	-	-	-
15. Dementia praecox	-	-	-	-	-	-	1	-	1	1	2	3
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic	-	-	-	-	-	-	-	-	-	-	-	-
18. Psychoneuroses	-	-	-	-	-	-	-	-	-	-	-	-
19. With psychopathic personality	-	-	-	-	-	-	-	-	-	-	-	-
20. With mental deficiency	-	-	-	-	-	-	-	-	-	-	-	-
21. Undiagnosed	-	-	-	-	-	-	-	-	-	-	-	-
22. Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	1	1	2	1	-	1	1	2	3

TABLE 19. — Family-care Department.

	M.	F.	T.
Remaining Oct. 1, 1922	-	9	9
Committed within the year	-	-	-
Whole number of cases within the year	-	9	9
Dismissed within the year	-	-	-
Returned to institution	-	-	-
Discharged	-	-	-
Died	-	-	-
Escape	-	9	9
Remaining Sept. 30, 1923	-	7	7
Supported by State	-	-	-
Private	-	2	2
Self-supporting	-	-	-
Number of different persons within the year	-	9	9
Number of different persons admitted	-	-	-
Number of different persons dismissed	-	-	-
Daily average number	-	9	9
State	-	7	7
Private	-	2	2
Self-supporting	-	-	-