

SS.  
ICS.  
JLL.

The Commonwealth of Massachusetts

---

ANNUAL REPORT

OF THE

TRUSTEES

OF THE


NORTHAMPTON STATE HOSPITAL

FOR THE

YEAR ENDING NOVEMBER 30, 1929

---

DEPARTMENT OF MENTAL DISEASES



PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE  
500 7-30. Order 9567

OCCUPATIONAL PRINTING PLANT  
DEPARTMENT OF MENTAL DISEASES  
GARDNER STATE COLONY  
GARDNER, MASS.

# NORTHAMPTON STATE HOSPITAL

## TRUSTEES.

LAURENCE D. CHAPIN, M.D., Springfield.  
MR. ALBERT M. DARLING, Sunderland.  
MR. GEORGE C. LUNT, Greenfield.  
MRS. EMILY N. NEWTON, *Secretary*, Wellesley Hills.  
MISS CAROLINE A. YALE, Northampton.  
MR. WALTER L. STEVENS, *Chairman*, Northampton.  
MR. CHARLES W. KING, Chicopee Falls.

## RESIDENT OFFICERS.

JOHN A. HOUSTON, M.D., *Superintendent*.  
EDWARD W. WHITNEY, M.D., *Assistant Superintendent*.  
HARRIET W. WHITNEY, M.D., *Senior Physician to Out-Patient and Social Service Departments*.  
B. ANGELA BOBER, M.D., *Senior Physician*.  
ELIZABETH KUNDERT, M.D., *Senior Physician*.  
ELIZABETH THOMAS HILL, M.D., *Assistant Physician*.  
HARRY J. HILL, M.D., *Assistant Physician*.  
RUTH TUSTIN, M.D., *Assistant Physician*.  
ALBERT BOURCIER, M.D., *Assistant Physician*.  
CARL EMIL MEYER, M.D., *Assistant Physician*.  
RHODA U. MUSGRAVE, M.D., *Assistant Physician*.  
LUCIEN H. HARRIS, D.D.S., *Dentist*.  
FRANK W. SMITH, *Steward*.

## NON-RESIDENT OFFICERS.

MISS EVA L. GRAVES, *Chief Clerk and Treasurer (Office at the Hospital)*.

## HEADS OF DEPARTMENTS.

MR. L. W. SINCLAIR, *Chief Engineer*.  
MR. HARRY M. LEE, *Head Farmer*.  
MISS ALICE E. BEDELL, R.N., *Superintendent of Nurses*.  
MISS MARY W. KILLAM, *Psychiatric Social Worker*.  
MISS VERA A. MATHIEU, *Head Occupational Therapist*.

## TRUSTEES' REPORT.

*To His Excellency the Governor of the Commonwealth and the Honorable Council:*

The Trustees of the Northampton State Hospital have the honor to present herewith their report for the year ending November 30, 1929.

The daily average number of patients was 1,389 as compared with 1,269 the previous year. The net weekly cost of maintenance was \$4.6967 per capita.

The Acting Superintendent's report gives in detail the activities of the medical and all other departments, including changes in the staff.

The following resolutions were presented to the Board by the committee appointed in May.

Whereas, in accordance with statute law, the Superintendent of this hospital, Dr. John A. Houston, retires in July 1929 of this year from the position which he has held so long.

Now, therefore, the Board of Trustees wishes to express its deep appreciation of Dr. Houston's singularly able and faithful service. Dr. Houston came to the Northampton State Hospital in 1889 as First Assistant Physician and was made Superintendent in 1897.

From that time on the history of the institution has been as embodiment of Dr. Houston's remarkable personality, which has left its impress on every phase of the work. To wide and exact medical knowledge, to a keen understanding of the problems of psychiatry based on an ever-widening experience, he added a distinguished executive ability, a dauntless initiative and steady fidelity to high ideals.

P.D. 21

3

Still farther, the peculiarly human and sympathetic quality which has been shown in the treatment and methods pursued here, has, we feel, drawn its inspiration and its constantly renewed strength from Dr. Houston's personal attitude. To him a patient has always been an individual, not simply a case. Every patient admitted was personally known by him—so far as it was humanly possible—and it has always been his object to establish genuinely friendly relations between patients and the medical staff. That he has been so ably seconded by his staff in all his aims is a proof of his keen insight and judgment in the selection of men.

A renewal of the request for an appropriation to rebuild the recreation building, which was destroyed by fire, is made. This building is much missed by the male patients, who used it freely for recreation purposes, as well as a smoking room.

Our hospital population is growing rapidly and the acreage of land is too small to meet our present needs. It would, therefore, be desirable to provide for the purchase of additional land.

In a large institution there are always many repairs and replacements to be made. The more important of these, which were cared for during the past year, are mentioned in the Acting Superintendent's report.

Attention is called to the following outstanding items of repairs and renewals which should be made during the coming year:

Repairs to the plumbing in the South Infirmary, the North Infirmary and the First Halls South.

Additional drinking fountains.

Table saw for the carpenter shop.

Painting the iron fence surrounding the grounds.

Aluminum coffee urns.

Remodelling the third floor of the North Infirmary and the fourth floor of the South Infirmary to provide for the better care and treatment of patients, as well as for additional space for patients.

Dr. Elizabeth Kundert was appointed Senior Physician on June 3, 1929.

Dr. Rhoda U. Musgrave was appointed Assistant Physician on July 15, 1929 and Dr. Albert U. Bourcier was promoted to the position of Senior Physician on November 9, 1929.

Respectfully submitted,

MR. WALTER L. STEVENS, *Chairman*, Northampton  
MRS. EMILY N. NEWTON, *Secretary*, Wellesley Hills  
MR. CHARLES W. KING, Chicopee Falls  
MR. ALBERT M. DARLING, Sunderland  
MR. GEORGE C. LUNT, Greenfield  
MISS CAROLINE A. YALE, Northampton  
DR. LAURENCE D. CHAPIN, Springfield

*Trustees.*

## ACTING SUPERINTENDENT'S REPORT.

*To the Trustees of the Northampton State Hospital:*

I herewith submit my report for the year 1929.

## MOVEMENT OF POPULATION.

Number of patients on our books October 1, 1928 was 1,558. There were admitted during the year 552 patients, making a total of 2,110 under care and treatment during the year. There were discharged to their relatives or transferred to other institutions 267, and there were 164 deaths, leaving 1,679 on our books September 30, 1929, of which 1,416 were in the hospital and 263 were on visit or otherwise absent.

## MEDICAL ACTIVITIES.

There were many changes on our staff during the past year. Dr. John Alexander Houston, Superintendent, having reached the age of 70, retired on

July 30, after forty years of service in this hospital, 32 years of which he served as superintendent. As yet no superintendent has been appointed to fill the vacancy.

Dr. B. Angela Bober, Senior Physician in charge of the female wards, left the service July 20. She has been on our staff since October 1, 1911.

Dr. Harry Hill, Assistant Physician, who came here September 28, 1926, left the service June 1, 1929, to enter private practice.

Dr. Elizabeth Thomas Hill, Assistant Physician, who joined our staff on October 16, 1923, retired on November 16, 1929, to enter private practice.

Dr. Carl Emil Meyer, Assistant Physician, was added to our staff May 20, 1929. He has resigned, his resignation to take effect in January, 1930.

Dr. Ruth Tustin, who entered the service as Assistant Physician on October 19, 1926, left the service May 31, 1929.

Dr. Elizabeth Kundert, on June 3, 1929, was appointed Senior Physician. She graduated from the Women's Medical School of Pennsylvania in 1926, entered the State service at Medfield State Hospital on August 17, 1926; was on the staff at the Belchertown State School from February 1, 1927, until she joined our staff.

Dr. Rhoda U. Musgrave was appointed Assistant Physician July 15, 1929. She graduated from the University of Nebraska Medical School in 1928 and served in the Alameda County Hospital in Oakland, California for one year.

Mr. Fred Aldrich, employed in this hospital for thirty years, seven of which he served as male supervisor, died in April, 1929.

Miss Susan E. Warren retired in May, 1929. She had been in State service since 1894 and had served as matron since June, 1905.

Mr. Thomas Claire, who was employed here as plumber since April 28, 1898, died in April, 1929.

Dr. Albert U. Bourcier, who has been assistant physician since June 1, 1927, was promoted to the position of senior physician on November 9, 1929.

As usual classes from the near-by colleges were given lectures on hospital economics and abnormal psychology. The classes from Smith College Summer School of Social Service came to the hospital twice a week during August.

Staff meetings had to be discontinued in October because of depletion of the staff.

Our dentist reports that there were 777 fillings, 386 teeth extracted, one new plate made and 56 repaired. Gums and teeth were treated in 526 cases. Crowns were cemented on in 10 cases.

#### OUT-PATIENT SERVICE.

Clinics are held once each month in Springfield, North Adams, Greenfield and Pittsfield. 175 patients, who were absent from the hospital on visit, reported at the clinics. Inquiries concerning 609 patients were made by their relatives. 44 patients were referred for advice by social agencies, 12 were referred by physicians, 4 by other institutions, 21 by relatives and 7 came of their own volition, making a total of 872.

The Out-Patient physician gave service of one day a week to the Juvenile Court in Springfield where 80 patients were examined. The Out-Patient physician, at the request of Dr. Overholser, visited jails in the three Western counties and gave psychometric tests to 32 prisoners.

The school clinic, consisting of a physician and psychologist, conducted examinations of retarded children in the schools of 29 towns. Of the 572 children examined, 344 were first examinations and 228 were re-examinations of children who were already in special classes or in whom diagnosis had been deferred at previous examinations. This gives a total of 1,556 individuals whose cases were handled by our Out-Patient Department.

#### SOCIAL SERVICE.

On April 1, 1929, Rhoda L. Smith was appointed assistant to Miss Killam, Social Worker.

During the year 278 new cases were given social service, in addition to all those renewed and continued from previous years. A total of 580 visits were made in

connection with supervision of patients.

The functioning of the department has been the same as in the past—obtaining histories of newly admitted patients, supervision of patients on visit, supervision of patients in family care and investigating home conditions before patients are discharged.

#### OCCUPATIONAL THERAPY AND INDUSTRIAL DEPARTMENTS.

Doris E. Montgomery, head occupational therapist, left the service on March 23, 1929, and Vera A. Mathieu, who was her assistant since March 1, 1928, was promoted to the position as head occupational therapist on July 15, 1929.

Classes were started in the sun room of A-4 for the patients in the A. and B. buildings. A very brief outline of the work done in the industrial and occupational therapy departments is as follows: 352 pairs of shoes soled; and 464 pairs heeled; 503 shoes patched; 286 mattresses made over from old material; 255 mattresses made over from new material; 204 pillows made over, old material; 160 pillows made over, new material; 32 chairs caned; 724 brooms made; 696 rag rugs woven; 108 jumpers made; 259 pairs of overalls made; 113 men's shirts made; 159 yards of cloth woven; 112 pairs of bed socks made; 1 hamper basket made; 14 settee cushions made; 8 couch covers made; 8 chair cushions made; 24 hydro pillows made; 26 laundry baskets made; 74 canvas mattresses made.

4,107 towels were hemmed; 1,157 pillow cases were made; 30 raffia waste baskets; 1,132 flour sacks hemmed; 591 crocheted and knitted face cloths; 7 pairs of crocheted bed room slippers; 1 knitted scarf; 96 pairs of cretonne curtains; 68 pairs of serim curtains stencilled; 41 reed baskets made; 14 reed mats; 2 reed trays; 5 sweaters; 301 runners and stand covers; 12 cloth door pads; 7 holders; 1 reed window box; 1 dresser set; 51 valances; 7 hooked rugs; 37 sofa pillows.

#### ASSEMBLIES OF PATIENTS.

There were 173 assemblies of patients in the chapel during the year. These assemblies consisted of religious services, motion pictures, dances, parties, band and orchestra concerts, minstrels and plays.

During the summer evenings, a series of ball games was played for the championship of the hospital between teams composed of patients and employees, in which the patients were victors.

On retiring Dr. John A. Houston had installed on our organ a set of chimes. This organ was given to the hospital by a former superintendent, Dr. Edward B. Nims, when he retired in 1897.

A much needed curtain for the stage in the chapel was purchased with money willed to the hospital by the husband of a former patient.

Radios were installed in B 3, Upper First North, Middle First North and Upper First South.

B 2 and B 4 were opened and occupied by women patients in October and November, 1928.

A 2 and A 3 were occupied in April, 1929. A 4 will be opened as soon as we have a sufficient number of nurses.

Dining rooms were opened in A I and B I for patients in those buildings. Although the food is brought from the main kitchen, it is served hot as it is transported in vacuum carts.

Two new cottages were opened during the year, one being occupied by the steward and one by an assistant physician.

The new nurses' home for women attendants was opened in July, although it was not completely furnished until September. It is a well-planned building, pleasantly situated and tastily furnished and has many conveniences which add to the comforts of our nurses.

#### FARM.

The usual acreage of farm and garden crops were planted, but due to the extremely dry season, some of the crops as early potatoes, cabbage and onions

yielded only a partial tonnage. Had it not been for artificial sprinkling, the strawberries and turnips would have been nearly a failure.

The ensilage corn was planted early, came up quickly and yielded 408 tons of well-matured corn. This tonnage will carry the institution well into June when green feed will be available.

The hay crop (first cutting) was good, yielding 250 tons. The usual tonnage of second crop was a failure because of the drought. There was also cut nearly 100 tons of green hay for the dairy. The above tonnage is ample for the needs of the institution.

The yield of potatoes was less than normal. It is doubtful if a profitable crop of potatoes can be grown on the institution farm under the present tillage conditions.

Nearly every garden crop gave a maximum tonnage, as follows:  
String beans, 12,375 lbs.; shell beans, 1,646 lbs.; beets, 44,507 lbs.; cabbage, 34,989 lbs.; carrots, 29,601 lbs.; celery, 3,592 lbs.; sweet corn, 32,812 lbs.; onions, 36,644 lbs.; parsnips, 3,164 lbs.; peas, 2,877 lbs.; pumpkins, 3,000 lbs.; squash, 38,068 lbs.; tomatoes, 38,511 lbs.; turnips, 37,508 lbs.; rhubarb, 11,405 lbs.; strawberries, 5,108 lbs.

The past season was not an apple year. The set was very light and the quality poor.

Poultry — Beginning the fiscal year there were 647 hens. 2,000 chicks were purchased. Total on hand at the end of the year, 748 hens. There were 2,204 lbs. of fowl used for food and 2,325 lbs. of broilers. 5,499 dozen of eggs were produced.

A new hen house was built, which was much needed for winter housing. The swine made a very satisfactory showing. Although there were two slight out-breaks of cholera, over 40,000 lbs. of pork were produced and we had a much larger and better herd at the end of 1929. Also, the hospital again won the ton litter contest as in 1928.

The dairy is in a much better condition than for the past two years. The total yield of milk, 548,035 lbs., is somewhat lower per cow than in former years, due largely to breeding troubles in the past. Six cows were purchased, seven slaughtered for beef and two died. Nearly all the heifer calves are being raised to take the place of those cows that are no longer profitable. At the present time the herd consists of 100 head against 77 a year ago. A much better price has been obtained for the young calves.

About 800 tons of ice were harvested which was ample for the needs of the institution.

Several hundred loads of stone have been cleared from the different fields and drawn to the crusher for future road use.

The physical condition of the institution farm, as a whole, is much improved.

REPAIRS AND IMPROVEMENTS.

There were many repairs made which are necessary to keep the hospital running efficiently. The following is a brief list of some of the more important repairs, renewals and additions.

Installation of a doughnut machine and a new vegetable steamer in the main kitchen.

The hydrant system was extended to the New Nurses' Home and to the new cottages.

Pipes for gas were extended to Cottages, 2, 3, 4 and 5.

A steam heating system was installed in employees' Cottages 3, 4, 5, 7 and 10.

The installation of the new plumbing was completed in the toilets and bathrooms in the Earle Building.

New plumbing fixtures were installed in the toilets of the First Halls North.

The wiring of the attics of the ward buildings for electricity was completed.

The electric light fixtures were replaced in L.3. South.

A new electric central call station was installed in the hospital telephone room.

An underground conduit and cables were laid for electric lights and power from

the ice machine room to the main barn.

Cement floors were laid in the basement rooms of the Employees' Home South and basements of Cottages 4, 5 and 10.

A new concrete retaining wall was built on the north side of the New Nurses' Home.

The pond just south west of the New Nurses' Home was filled in. A new concrete curbing was laid on one side of the road leading to the rear of the Main Building.

In behalf of the patients I wish to thank the numerous friends of the hospital for the gifts donated for their benefit — money, victrolas, candy, fruit, magazines and books.

I also wish to express my appreciation to the employees for their loyalty and cooperation given me in conducting the activities of the hospital pending the appointment of a new superintendent.

EDWARD W. WHITNEY,  
Acting Superintendent.

VALUATION.

	November 30, 1929.	
	REAL ESTATE.	\$167,700.00
Land, 513 acres		1,720,539.46
Buildings		\$1,888,239.46
	PERSONAL PROPERTY.	\$2,281.10
Travel, transportation and office expenses		9,585.15
Food		19,321.58
Clothing and materials		75,711.35
Furnishings and household supplies		2,525.61
Medical and general care		11,083.96
Heat, light and power		48,812.60
Farm		7,242.50
Garage, stables and grounds		19,111.08
Repairs		\$195,674.93
	SUMMARY.	\$1,888,239.46
Real estate		195,674.93
Personal property		\$2,083,914.39

FINANCIAL REPORT.

To the Department of Mental Diseases:  
I respectfully submit the following report of the finances of this institution for the fiscal year ending November 30, 1929.

CASH ACCOUNT.  
Receipts.

Income.	\$118,966.77	\$118,966.77
Board of Patients		140.33
Personal Services:		
Reimbursement from Board of Retirement		\$ 97.32
Sales:		124.65
Food		32.50
Clothing and materials		88.51
Furnishings and household supplies		
Medical and general care		244.39
Farm:		51.14
Cows and calves		1.00
Hides		22.42
Wood		1.04
Sundries, barrels and bags		75.96
Garage, stable and grounds		9.50
Repairs, ordinary		
Arts and Crafts sales		748.43
Total sales	\$713.68	
Miscellaneous:		970.10
Interest on bank balances		\$1,683.78
Rent		\$121,539.31
Total income		

MAINTENANCE.		
Balance from previous year, brought forward		\$ 6,595.12
Appropriations, current year		499,000.00
<b>Total</b>		<b>\$505,595.12</b>
Expenses (as analyzed below)		460,772.92
<b>Balance reverting to Treasury of Commonwealth</b>		<b>\$44,822.20</b>
Analysis of Expenses.		
Personal services		\$223,656.88
Religious instruction		1,220.00
Travel, transportation and office expenses		5,972.45
Food		101,895.24
Clothing and materials		8,144.62
Furnishings and household supplies		24,746.77
Medical and general care		11,258.90
Heat, light and power		32,380.72
Farm		23,536.28
Garage, stable and grounds		3,430.73
Repairs, ordinary		14,815.66
Repairs and renewals		9,694.67
<b>Total expenses for Maintenance</b>		<b>\$460,772.92</b>
SPECIAL APPROPRIATIONS.		
Balance December 1, 1928		\$17,059.65
Appropriations for current year		32,500.00
<b>Total</b>		<b>\$49,559.65</b>
Expended during the year (see statement below)		\$20,423.10
Reverting to Treasury of Commonwealth		18.54
<b>Balance November 30, 1929, carried to next year</b>		<b>\$29,118.01</b>

OBJECT.	Act or Resolve.	Whole Amount.	Expended During Fiscal Year.	Total Expended To Date.	Balance at End of Year.
Ward Building	Ch. 138 '27	\$182,000.00	\$15,632.37	\$181,981.46	\$ 18.54*
Nurses' Home	Ch. 138 '27	141,275.00	1,408.74	141,275.00	
Furnishing Nurses' Home	Ch. 146 '29	10,000.00	3,381.99	3,381.99	6,618.01
Superintendent's House	Ch. 146 '29	22,500.00			22,500.00
		<b>\$355,775.00</b>	<b>\$20,423.10</b>	<b>\$326,638.45</b>	<b>\$29,136.55</b>

Balance reverting to Treasury of the Commonwealth during year (mark item with*)	\$18.54
Balance carried to next year	29,118.01
<b>Total as above</b>	<b>\$29,136.55</b>

PER CAPITA.

During the year the average number of inmates has been 1,389.  
 Total cost for maintenance, \$460,772.92  
 Equal to a weekly per capita cost of \$6.3794 (52 weeks to year).  
 Receipt from sales, \$748.43.  
 Equal to a weekly per capita cost of \$0.0098.  
 All other institution receipts, \$120,790.88.  
 Equal to a weekly per capita cost of \$1.6674.  
 Net weekly per capita \$4.6967.

Respectfully submitted,  
 EVA L. GRAVES, Treasurer.

STATISTICAL TABLES.  
 As Adopted by American Psychiatric Association.  
 Prescribed by Massachusetts Department of Mental Diseases.

TABLE 1. General Information.

- Date of opening as an institution for the insane: August 16, 1858.
- Type of institution: State.
- Hospital plant:
 

Real estate, including buildings and betterments	\$1,888,239.46
Personal property	195,674.93
<b>Total</b>	<b>\$2,083,914.39</b>
- Medical Service:
 

Total acreage of hospital property: 513.	
Acreage under cultivation during year: 147.	
	F. M. T.
Superintendents	1 - -
Assistant physicians	4 6 10
Dentist	1 - 1
<b>Total physicians</b>	<b>6 6 12</b>
Employees:	
Graduate nurses	- 5 5
Other nurses and attendants	59 52 111
Social workers	- 2 2
All other employees	73 50 123
	132 109 241
Percentage of patients employed during year	54.2 64.8 59.5

NOTE:—The following items, 5 to 9, inclusive, are for the year ended September 30, 1929.

- Census of patient population at end of year:
 

	Actually in Hospital.			Absent from Hospital but Still on Books.		
	M.	F.	T.	M.	F.	T.
White:						
Insane	617	739	1,356	107	149	256
Epileptics	1	-	1	-	-	-
Mental defectives	24	18	42	1	2	3
All other cases	-	4	4	1	1	2
<b>Total</b>	<b>642</b>	<b>761</b>	<b>1,403</b>	<b>109</b>	<b>152</b>	<b>261</b>
Other races:						
Insane	9	4	13	1	1	2
<b>Total</b>	<b>9</b>	<b>4</b>	<b>13</b>	<b>1</b>	<b>1</b>	<b>2</b>
<b>Grand Total</b>	<b>651</b>	<b>765</b>	<b>1,416</b>	<b>110</b>	<b>153</b>	<b>263</b>
- Patients under treatment in occupational therapy classes, including physical training, on date of report:
 

	9	130	139
--	---	-----	-----
- Other patients employed in general work of hospital on date of report:
 

	336	340	676
--	-----	-----	-----
- Average daily number of all patients actually in hospital during year:
 

	640	732	1,372
--	-----	-----	-------
- Voluntary patients admitted during year:
 

	4	6	10
--	---	---	----
- Persons given advice or treatment in out-patient clinics during year:
 

	327	188	515
--	-----	-----	-----

TABLE 2. Financial Statement

See treasurer's report for data requested under this table.

NOTE:—The following tables 3-19, inclusive, are for the statistical year ended September 30, 1929.

TABLE 3. Movement of Patient Population.

	INSANE.			VOLUNTARY.			TEMPORARY CARE AND OBSERVATION.			TOTAL ON BOOKS.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Patients on books of institution September 30, 1928	696	847	1,543	4	1	5	8	2	10	708	850	1,558
Admissions during year:												
First admissions	214	183	397	1	3	4	37	15	52	252	201	453
Readmissions	35	51	86	3	3	6	-	1	1	38	55	93
Transfers from other hospitals for mental diseases	3	3	6	-	-	-	-	-	-	3	3	6
Total received during year	252	237	489	4	6	10	37	16	53	293	259	552
Total on books during year	948	1,084	2,032	8	7	15	45	18	63	1,001	1,109	2,110
Discharged from books during year:												
As recovered	37	18	55	-	4	4	12	3	15	49	25	74
As improved	41	64	105	2	-	2	3	3	6	46	67	113
As unimproved	14	14	28	2	2	4	3	4	7	19	20	39
As without psychosis	5	6	11	-	-	-	12	3	15	17	9	26
Transferred to other hospitals for mental diseases	13	1	14	-	-	-	1	-	1	14	1	15
Died during the year	89	66	155	-	1	1	6	2	8	95	69	164
Total discharged, transferred, and died during year	199	169	368	4	7	11	37	15	52	240	191	431
Insane patients remaining on books at end of hospital year:												
In hospital	640	762	1,402	4	-	4	7	3	10	651	765	1,416
On parole or otherwise absent	109	153	262	-	-	-	1	-	1	110	153	263
Total	749	915	1,664	4	-	4	8	3	11	761	918	1,679

P. D. 21

TABLE 4. Nationality of First Admissions and of Parents of First Admissions.

NATIONALITY.	PATIENTS.			PARENTS OF MALE PATIENTS.			PARENTS OF FEMALE PATIENTS.		
	M.	F.	T.	Fathers.	Mothers.	Both.	Fathers.	Mothers.	Both.
United States	136	119	255	71	73	59	65	73	62
Austria	3	2	5	5	3	3	3	3	3
Belgium	1	1	2	1	1	1	1	1	1
Canada	14	10	24	31	27	24	16	13	10
England	2	3	5	5	7	3	9	6	5
France	15	3	18	1	6	6	1	5	4
Germany	3	3	6	3	3	3	5	5	4
Greece	13	1	14	38	41	35	38	41	37
India	6	17	23	7	8	7	8	6	6
Ireland	1	4	5	1	1	1	1	1	1
Italy	1	1	2	1	1	1	1	1	1
Mexico	12	12	24	17	17	17	15	15	15
Norway	1	1	2	1	1	1	1	1	1
Poland	9	2	11	10	10	10	10	10	10
Roumania	2	1	3	4	3	2	0	4	4
Russia	2	1	3	1	1	1	1	1	1
Scotland	1	1	2	1	1	1	1	1	1
South America	1	3	4	1	3	4	1	4	4
Spain	1	1	2	9	8	5	8	9	8
Sweden	1	1	2	1	1	1	1	1	1
Other countries	1	1	2	1	1	1	1	1	1
Uncertained	1	1	2	1	1	1	1	1	1
Total	214	183	397	214	214	181	183	183	161

1Includes Newfoundland.

TABLE 4-A. Age of First Admissions Classified with Reference to Nativity, and Length of Residence in the United States of the Foreign Born.

AGE GROUPS.	Aggregate.						NATIVE BORN.						FOREIGN BORN.						Nativity unascertained.									
	Total.			Parentage.			Total.			Time in United States before Admission.			Total.			Time in United States before Admission.												
	M.	F.	T.	Foreign.	Mixed.	Unascertained.	Native.	Foreign.	Mixed.	Unascertained.	M.	F.	T.	Under 5 years.	5-9 years.	10-14 years.	15 years and over.	Unascertained.										
																				M.	F.	T.	M.	F.	T.	M.	F.	T.
Under 15 years	7	1	8	5	3	8	2	2	4	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
15-19 years	16	15	31	13	12	25	4	2	6	3	3	6	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
20-24 years	18	10	28	14	8	22	7	4	11	2	2	4	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
25-29 years	17	16	33	11	8	19	5	3	8	2	2	4	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
30-34 years	23	18	41	12	10	22	7	5	12	3	3	6	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
35-39 years	24	13	37	16	7	23	6	3	9	3	3	6	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
40-44 years	24	13	37	16	7	23	6	3	9	3	3	6	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
45-49 years	13	21	34	7	12	19	3	2	5	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
50-54 years	9	18	27	4	10	14	2	2	4	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
55-59 years	13	10	23	5	14	19	4	4	8	2	3	5	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	
60-64 years	11	18	29	5	13	18	1	7	8	2	4	6	2	2	4	1	1	2	1	1	2	1	1	2	1	1	2	
65-69 years	39	24	63	26	17	43	17	13	30	3	4	7	5	2	7	4	3	7	5	2	7	4	3	7	5	2	7	
70 years and over	11	18	29	5	13	18	1	7	8	2	4	6	2	2	4	1	1	2	1	1	2	1	1	2	1	1	2	
Total	214	183	397	136	119	255	58	62	120	44	32	76	30	18	48	4	7	11	78	64	142	1	1	2	3	76	62	138

TABLE 5. Citizenship of First Admissions.

	Males	Females	Total
Citizens by birth	136	119	255
Citizens by naturalization	33	19	52
Aliens	41	28	69
Citizenship unascertained	4	17	21
Total	214	183	397

TABLE 6. Psychoses of First Admissions.

PSYCHOSES.	M. F. T.			M. F. T.		
	M.	F.	T.	M.	F.	T.
1. Traumatic psychoses	1	-	1			
2. Senile psychoses	4	13	17			
3. Psychoses with cerebral arteriosclerosis	39	22	61			
4. General paralysis	20	4	24			
5. Psychoses with cerebral syphilis	-	1	1			
6. Psychoses with Huntington's chorea	-	1	1			
7. Psychoses with brain tumor	4	4	8			
8. Psychoses with other brain or nervous diseases, total	-	1	1			
Cerebral embolism	-	-	-			
Meningitis, tubercular or other forms	1	-	1			
Multiple sclerosis	3	3	6			
Other diseases	-	-	-	41	3	44
9. Alcoholic psychoses, total	1	-	1			
Delirium tremens	2	1	3			
Korsakow's psychosis	24	1	25			
Acute hallucinosis	14	1	15			
Other types, acute or chronic	-	-	-			
10. Psychoses due to drugs and other exogenous toxins, total	-	-	-			
11. Psychoses with pellagra	9	17	26			
12. Psychoses with other somatic diseases, total	1	1	2			
Post-infectious psychosis	1	5	6			
Exhaustion delirium	-	2	2			
Delirium of unknown origin	4	5	9			
Cardio-renal diseases	3	4	7			
Other diseases or conditions	-	-	-	28	36	64
13. Manic-depressive psychoses, total	20	13	33			
Manic type	7	22	29			
Depressive type	1	1	2			
Other types	-	-	-	13	6	19
14. Involution melancholia	41	55	96			
15. Dementia praecox (schizophrenia)	-	-	-			
16. Paranoia and paranoid conditions	1	2	3			
17. Epileptic psychoses	-	6	6			
18. Psychoneuroses and neuroses, total	-	-	-			
Hysterical type	-	1	1			
Psychasthenic type (anxiety and obsessive forms)	-	1	1			
Neurasthenic type	-	1	1			
Other types	-	3	3			
19. Psychoses with psychopathic personality	-	-	-	6	10	16
20. Psychoses with mental deficiency	-	-	-	7	1	8
21. Undiagnosed psychoses	-	-	-	-	-	-
22. Without psychosis, total	1	-	1			
Epilepsy without psychosis	1	-	1			
Drug addiction without psychosis	4	-	4			
Mental deficiency without psychosis	1	1	2			
Others	-	-	-			
Total	214	183	397			

TABLE 7. Race of First Admissions Classified with Reference to Principal Psychoses.

RACE.	Total.			Traumatic.			Senile.			With cerebral arteriosclerosis.			General paralysis.			With cerebral syphilis.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
African (black)	10	-	10	-	-	-	1	-	1	-	-	-	4	-	4	-	-	-
Dutch and Flemish	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
English	31	33	64	-	-	-	2	7	9	13	4	17	2	-	2	-	-	-
French	28	15	43	-	-	-	-	-	-	4	3	7	2	1	3	-	-	-
German	8	4	12	-	-	-	-	-	-	2	1	3	1	-	1	-	-	-
Greek	3	-	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Hebrew	3	4	7	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Irish	43	41	84	-	-	-	4	4	8	9	3	12	3	1	4	-	-	-
Italian <sup>1</sup>	8	7	15	1	-	1	-	-	-	1	1	-	2	-	2	-	-	-
Lithuanian	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roumanian	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scandinavian <sup>2</sup>	4	8	12	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-
Scotch	5	8	13	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-
Slavonic <sup>3</sup>	23	16	39	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Spanish	1	-	1	-	-	-	-	-	-	2	-	2	2	-	2	-	-	-
Mixed	34	49	83	-	-	-	1	2	3	7	7	14	2	2	4	-	-	-
Race unascertained	7	1	8	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Total	214	183	397	1	-	1	4	13	17	39	22	61	20	4	24	-	-	1

TABLE 7. Race of First Admissions Classified with Reference to Principal Psychoses — Continued.

RACE.	With Huntington's chorea.			With brain tumor.			With other brain or nervous diseases.			Alcoholic.			Due to drugs and other exogenous toxins.			With pellagra.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
African (black)	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Dutch and Flemish	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
English	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
French	-	-	-	-	-	-	1	-	1	6	1	7	-	-	-	-	-	-
German	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
Greek	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hebrew	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irish	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Italian <sup>1</sup>	-	-	-	1	1	-	1	1	-	11	2	13	-	-	-	-	-	-
Lithuanian	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roumanian	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scandinavian <sup>2</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotch	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Slavonic <sup>3</sup>	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
Spanish	-	-	-	-	-	-	1	-	1	10	-	10	-	-	-	-	-	-
Mixed	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Race unascertained	-	-	-	-	-	-	3	3	-	6	-	6	-	-	-	-	-	-
Total	-	-	-	1	1	-	4	4	8	41	3	44	-	-	-	-	-	1

<sup>3</sup> Norwegians, Danes and Swedes.

TABLE 7. Race of First Admissions Classified with Reference to Principal Psychoses — Continued.

RACE.	With other somatic diseases.			Manic-depressive.			Involution melancholia.			Dementia praecox.			Paranoia and paranoid conditions.			Epileptic psychoses.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
African (black)	-	-	-	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
Dutch and Flemish	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
English	1	5	6	2	6	8	1	1	2	4	8	12	-	-	-	-	-	-
French	-	2	2	5	2	7	2	1	3	5	4	9	-	-	-	-	-	-
German	1	1	2	1	1	2	1	-	1	1	1	2	-	-	-	-	-	-
Greek	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
Hebrew	-	-	-	2	2	4	-	-	-	-	2	2	-	-	-	-	-	-
Irish	4	3	7	7	7	14	4	1	5	5	14	19	-	-	-	-	-	-
Italian <sup>1</sup>	-	1	1	1	1	2	-	1	1	3	1	4	-	-	-	-	-	-
Lithuanian	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roumanian	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scandinavian <sup>2</sup>	-	1	1	1	1	2	-	-	-	-	1	1	-	-	-	-	-	-
Scotch	1	1	2	1	1	2	-	-	-	-	3	4	-	-	-	-	-	1
Slavonic <sup>3</sup>	1	1	2	1	7	8	2	-	2	6	7	13	-	-	-	-	-	-
Spanish	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mixed	1	2	3	3	6	9	1	2	3	7	14	21	-	-	-	-	-	1
Race unascertained	-	-	-	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-
Total	9	17	26	28	36	64	13	6	19	41	55	96	-	-	-	-	-	1

TABLE 7. Race of First Admissions Classified with Reference to Principal Psychoses — Concluded.

RACE.	Psychoneuroses and neuroses.			With psychopathic personality.			With mental deficiency.			Undiagnosed psychoses.			Without psychosis.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
African (black)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dutch and Flemish	-	-	-	-	-	-	1	1	-	1	1	2	-	-	3
English	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2
French	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
German	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greek	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebrew	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Irish	-	2	2	-	-	-	-	-	-	1	1	-	-	-	1
Italian <sup>1</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Lithuanian	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roumanian	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scandinavian <sup>2</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotch	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Slavonic <sup>3</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spanish	-	-	-	-	-	-	-	-	-	3	5	8	-	-	2
Mixed	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Race unascertained	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	6	6	-	1	1	6	10	16	-	-	-	-	-	7

<sup>3</sup> Norwegians, Danes and Swedes.



TABLE 8. Age of First Admissions Classified with Reference to Principal Psychoses.

PSYCHOSES.	Total			Under 15 years.			15-19 years.			20-24 years.			25-29 years.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-
2. Senile	4	13	17	-	-	-	-	-	-	-	-	-	-	-	-
3. With cerebral arteriosclerosis	39	22	61	-	-	-	-	-	-	-	-	-	-	-	-
4. General paralysis	20	4	24	-	-	-	-	-	-	-	-	-	1	-	1
5. With cerebral syphilis	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8. With other brain or nervous diseases	4	4	8	-	-	-	-	-	1	1	-	1	1	-	-
9. Alcoholic	41	3	44	-	-	-	-	-	-	-	-	-	1	-	1
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	9	17	26	1	1	-	-	-	1	1	-	1	1	-	-
13. Manic-depressive	28	36	64	-	-	-	1	3	4	5	2	7	4	-	4
14. Involution melancholia	13	6	19	-	-	-	-	-	-	-	-	-	-	-	-
15. Dementia praecox	41	55	96	-	-	-	5	2	7	9	10	19	8	5	13
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic psychoses	1	2	3	-	-	-	-	-	-	-	-	-	1	-	1
18. Psychoneuroses and neuroses	-	6	6	-	-	-	-	-	-	1	1	-	-	1	1
19. With psychopathic personality	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
20. With mental deficiency	6	10	16	-	-	-	1	-	1	-	-	-	2	2	4
21. Undiagnosed psychoses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22. Without psychosis	7	1	8	-	-	-	-	-	1	-	1	-	1	-	1
Total	214	183	397	-	1	1	7	5	12	16	15	31	18	10	28

TABLE 8. Age of First Admissions Classified with Reference to Principal Psychoses — Continued.

PSYCHOSES.	30-34 years.			35-39 years.			40-44 years.			45-49 years.			50-54 years.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. With cerebral arteriosclerosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. General paralysis	3	-	3	3	-	3	3	1	4	4	2	6	3	-	3
5. With cerebral syphilis	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
8. With other brain or nervous diseases	1	-	1	-	-	-	1	-	1	-	-	-	1	-	1
9. Alcoholic	4	1	5	8	-	8	8	-	8	4	1	5	9	1	10
10. Due to drugs and other exogenous toxins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11. With pellagra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12. With other somatic diseases	-	-	-	-	-	-	1	-	1	-	3	3	1	3	4
13. Manic-depressive	1	6	7	2	8	10	3	7	10	2	3	5	5	5	10
14. Involution melancholia	-	-	-	-	-	-	2	-	2	2	-	2	4	-	4
15. Dementia praecox	7	6	13	7	8	15	3	2	5	1	10	11	1	4	5
16. Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17. Epileptic psychoses	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
18. Psychoneuroses and neuroses	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1
19. With psychopathic personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20. With mental deficiency	1	2	3	2	-	2	-	1	1	-	1	1	-	-	-
21. Undiagnosed psychoses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22. Without psychosis	-	1	1	1	-	1	3	-	3	-	-	-	-	-	-
Total	17	16	33	23	18	41	24	13	37	13	21	34	24	14	38

TABLE 8. Age of First Admissions Classified with Reference to Principal Psychoses — Concluded.

PSYCHOSES.	55-59 years.			60-64 years.			65-69 years.			70 years and over.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	1	3	4	5	3	8	7	5	12	4	10	14
3. With cerebral arteriosclerosis	-	1	1	2	-	2	1	-	1	2	11	37
4. General paralysis	-	-	-	-	-	-	-	-	-	-	-	-
5. With cerebral syphilis	-	-	-	-	-	-	-	-	-	-	-	-
6. With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-
7. With brain tumor	-	2	2	1	-	1	-	-	1	2	-	2
8. With other brain or nervous diseases	4	-	4	-	-	-	-	-	1	-	1	-
9. Alcoholic	-	-	-	-	-	-	-	-	-	-	-	-
10. Due to drugs and other exogenous toxins	-	-	-	-	1	1	-	-	-	-	-	-
11. With pellagra	1	3	4	1	2	3	-	2	2	5	1	6
12. With other somatic diseases	2	1	3	1	-	1	1	1	2	1	-	1
13. Manic-depressive	1	2	3	3	1	4	-	4	4	-	-	-
14. Involution melancholia	-	3	3	-	1	1	-	-	-	-	-	-
15. Dementia praecox	-	-	-	-	-	-	-	-	-	-	-	-
16. Paranoia and paranoid conditions	-	1	1	-	1	1	-	-	-	-	1	1
17. Epileptic psychoses	-	-	-	-	-	-	-	-	-	-	-	-
18. Psychoneuroses and neuroses	-	-	-	-	-	-	-	-	-	-	1	1
19. With psychopathic personality	-	2	2	-	1	1	-	-	-	-	-	-
20. With mental deficiency	-	-	-	-	-	-	-	-	-	1	-	1
21. Undiagnosed psychoses	-	-	-	-	-	-	-	-	-	-	-	-
22. Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-
Total	9	18	27	13	10	23	11	18	29	39	24	63

TABLE 9. Degree of Education of First Admissions Classified with Reference to Principal Psychoses.

PSYCHOSES.	Total.			Illiterate			Reads and Writes*			Common School.			High School.			College.			Unascertained.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	
																					Total.
Traumatic	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
Senile	4	13	17	4	13	17	4	13	17	4	13	17	4	13	17	4	13	17	4	13	17
With cerebral arteriosclerosis	39	22	61	3	8	11	3	8	11	3	8	11	3	8	11	3	8	11	3	8	11
General paralysis	20	4	24	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
With cerebral syphilis	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
With Huntington's chorea	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
With brain tumor	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
With other brain or nervous diseases	4	4	8	2	2	4	2	2	4	2	2	4	2	2	4	2	2	4	2	2	4
Alcoholic	41	3	44	16	17	33	16	17	33	16	17	33	16	17	33	16	17	33	16	17	33
Due to drugs and other exogenous toxins	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
With pellagra	9	17	26	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
With other somatic diseases	28	36	64	2	5	7	2	5	7	2	5	7	2	5	7	2	5	7	2	5	7
Involution melancholia	13	6	19	3	4	7	3	4	7	3	4	7	3	4	7	3	4	7	3	4	7
Paranoia and paranoid conditions	41	55	96	3	7	10	3	7	10	3	7	10	3	7	10	3	7	10	3	7	10
Epileptic psychoses	1	2	3	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
Psychoneuroses and neuroses	6	10	16	2	4	6	2	4	6	2	4	6	2	4	6	2	4	6	2	4	6
With psychopathic personality	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
With mental deficiency	6	10	16	2	4	6	2	4	6	2	4	6	2	4	6	2	4	6	2	4	6
Undiagnosed psychoses	7	1	8	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
Without psychosis	214	183	397	23	10	33	50	21	71	111	103	214	19	34	53	4	7	11	7	8	15

\* Includes those who did not complete fourth grade in school.

TABLE 10. Environment of First Admissions Classified with Reference to Principal Psychoses.

PSYCHOSES.	Total.			Urban.			Rural.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	1	1	2	1	1	2	1	1	2
2. Senile	4	13	17	4	13	17	4	13	17
3. With cerebral arteriosclerosis	39	22	61	33	21	54	6	1	7
4. General paralysis	20	4	24	19	3	22	1	1	2
5. With cerebral syphilis	1	1	2	1	1	2	1	1	2
6. With Huntington's chorea	1	1	2	1	1	2	1	1	2
7. With brain tumor	1	1	2	1	1	2	1	1	2
8. With other brain or nervous diseases	4	4	8	4	4	8	4	4	8
9. Alcoholic	41	3	44	39	2	41	2	1	3
10. Due to drugs and other exogenous toxins	1	1	2	1	1	2	1	1	2
11. With pellagra	9	17	26	8	16	24	1	1	2
12. With other somatic diseases	28	36	64	27	34	61	1	2	3
13. Manic-depressive	13	6	19	13	6	19	1	1	2
14. Involution melancholia	41	55	96	39	53	92	2	2	4
15. Dementia praecox	1	2	3	1	2	3	1	2	3
16. Paranoia and paranoid conditions	6	6	12	6	6	12	6	6	12
17. Epileptic psychoses	1	2	3	1	2	3	1	2	3
18. Psychoneuroses and neuroses	6	10	16	4	10	14	2	2	4
19. With psychopathic personality	1	1	2	1	1	2	1	1	2
20. With mental deficiency	6	10	16	5	8	13	1	2	3
21. Undiagnosed psychoses	7	1	8	6	1	7	1	1	2
22. Without psychosis	214	183	397	198	175	373	16	8	24

TABLE 11. Economic Condition of First Admissions Classified with Reference to Principal Psychoses

PSYCHOSES.	Total.			Dependent.			Marginal.			Com- fortable.			Unascertained.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
2. Senile	4	13	17	2	1	3	1	11	12	1	1	2	1	1	2
3. With cerebral arteriosclerosis	39	22	61	3	2	5	18	18	36	16	1	17	2	1	3
4. General paralysis	20	4	24	3	3	6	16	4	20	1	1	2	1	1	2
5. With cerebral syphilis	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
6. With Huntington's chorea	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
7. With brain tumor	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
8. With other brain or nervous diseases	4	4	8	1	1	2	2	3	5	1	1	2	2	2	4
9. Alcoholic	41	3	44	1	1	2	28	2	30	11	1	12	1	1	2
10. Due to drugs and other exogenous toxins	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
11. With pellagra	9	17	26	1	1	2	6	14	20	3	1	4	1	1	2
12. With other somatic diseases	28	36	64	1	2	3	20	30	50	6	3	9	1	1	2
13. Manic-depressive	13	6	19	1	1	2	10	6	16	2	2	4	1	1	2
14. Involution melancholia	41	55	96	4	4	8	32	48	80	5	3	8	4	4	8
15. Dementia praecox	1	2	3	1	1	2	1	1	2	1	1	2	1	1	2
16. Paranoia and paranoid conditions	6	6	12	6	6	12	6	6	12	6	6	12	6	6	12
17. Epileptic psychoses	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
18. Psychoneuroses and neuroses	6	10	16	2	4	6	5	8	13	1	1	2	1	1	2
19. With psychopathic personality	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
20. With mental deficiency	6	10	16	2	4	6	5	8	13	1	1	2	1	1	2
21. Undiagnosed psychoses	7	1	8	1	1	2	5	1	6	1	1	2	1	1	2
22. Without psychosis	214	183	397	11	13	24	144	156	300	47	11	58	12	3	15

TABLE 12. Use of Alcohol by First Admissions Classified with Reference to Principal Psychoses.

PSYCHOSES.	Total.		Abstinent.		Temperate.		Intemperate.		Unascertained.					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
1. Traumatic	1	1	1	1	1	1	1	1	1	1				
2. Senile	4	13	2	12	2	11	2	11	2	11				
3. With cerebral arteriosclerosis	39	22	19	22	41	17	2	2	1	1				
4. General paralysis	20	4	8	4	12	6	6	6	6	6				
5. With cerebral syphilis	1	1	1	1	1	1	1	1	1	1				
6. With Huntington's chorea	1	1	1	1	1	1	1	1	1	1				
7. With brain tumor	1	1	1	1	1	1	1	1	1	1				
8. With other brain or nervous diseases	4	4	1	1	1	1	1	1	1	1				
9. Alcoholic	41	3	4	4	5	1	2	2	2	2				
10. Due to drugs, and other exogenous toxins	1	1	1	1	1	1	1	1	1	1				
11. With pellagra	1	1	1	1	1	1	1	1	1	1				
12. With other somatic diseases	9	17	5	16	21	1	1	1	1	1				
13. Manic depressive	28	36	8	32	40	3	1	4	1	1				
14. Involution melanclolia	13	6	7	6	13	3	16	6	1	1				
15. Dementia praecox	41	55	14	47	61	18	7	25	6	3				
16. Paranoia and paranoid conditions	1	2	1	2	3	1	1	1	1	1				
17. Epileptic psychoses	1	6	1	6	7	1	1	1	1	1				
18. Psychoneuroses and neuroses	6	10	4	10	14	2	2	2	2	2				
19. With psychopathic personality	6	10	4	10	14	2	2	2	2	2				
20. With mental deficiency	7	1	1	1	1	1	1	1	1	1				
21. Undiagnosed psychoses	7	1	1	1	1	1	1	1	1	1				
22. Without psychosis	7	1	1	1	1	1	1	1	1	1				
Total	214	183	70	166	236	74	12	86	65	3	68	5	2	7

TABLE 13. Marital Condition of First Admissions Classified with Reference to Principal Psychoses.

PSYCHOSES.	Total.		Single.		Married.		Widowed.		Separated.		Divorced.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Traumatic	1	1	1	1	1	1	1	1	1	1	1	1		
Senile	4	13	2	12	2	11	2	11	2	11	2	11		
With cerebral arteriosclerosis	39	22	19	22	41	17	2	2	1	1	1	1		
General paralysis	20	4	8	4	12	6	6	6	6	6	6	6		
With cerebral syphilis	1	1	1	1	1	1	1	1	1	1	1	1		
With Huntington's chorea	1	1	1	1	1	1	1	1	1	1	1	1		
With brain tumor	1	1	1	1	1	1	1	1	1	1	1	1		
With other brain or nervous diseases	4	4	1	1	1	1	1	1	1	1	1	1		
Alcoholic	41	3	4	4	5	1	2	2	41	3	44	44		
Due to drugs, and other exogenous toxins	1	1	1	1	1	1	1	1	1	1	1	1		
With pellagra	1	1	1	1	1	1	1	1	1	1	1	1		
With other somatic diseases	9	17	5	16	21	1	1	1	1	1	1	1		
Manic depressive	28	36	8	32	40	3	1	4	1	1	1	1		
Involution melanclolia	13	6	7	6	13	3	16	6	1	1	1	1		
Dementia praecox	41	55	14	47	61	18	7	25	6	3	1	4		
Paranoia and paranoid conditions	1	2	1	2	3	1	1	1	1	1	1	1		
Epileptic psychoses	1	6	1	6	7	1	1	1	1	1	1	1		
Psychoneuroses and neuroses	6	10	4	10	14	2	2	2	2	2	2	2		
With psychopathic personality	6	10	4	10	14	2	2	2	2	2	2	2		
With mental deficiency	7	1	1	1	1	1	1	1	1	1	1	1		
Undiagnosed psychoses	7	1	1	1	1	1	1	1	1	1	1	1		
Without psychosis	7	1	1	1	1	1	1	1	1	1	1	1		
Total	214	183	70	166	236	74	12	86	65	3	68	5	2	7

TABLE 14. Psychoses of Readmissions.

PSYCHOSES.	Males.			Females.			Total.
	M.	F.	T.	M.	F.	T.	
1. Traumatic psychoses							
2. Senile psychoses							
3. Psychoses with cerebral arteriosclerosis							
4. General paralysis							
5. Psychoses with cerebral syphilis	1			1			2
6. Psychoses with Huntington's chorea							
7. Psychoses with brain tumor							
8. Psychoses with other brain or nervous diseases					1		1
9. Alcoholic psychoses					4		4
10. Psychoses due to drugs and other exogenous toxins	2						2
11. Psychoses with pellagra							
12. Psychoses with other somatic diseases							
13. Manic-depressive psychoses	1			1			2
14. Involution melancholia	12			22			34
15. Dementia praecox							
16. Paranoia and paranoid conditions	16			19			35
17. Epileptic psychoses					1		1
18. Psychoneuroses and neuroses					1		1
19. Psychoses with psychopathic personality					1		1
20. Psychoses with mental deficiency					1		1
21. Undiagnosed psychoses	1						1
22. Without psychosis	2			1			3
Total	35			51			86

TABLE 15. Discharges of Patients Classified with Reference to Principal Psychoses and Condition on Discharge.

PSYCHOSES.	Total.			Recovered.			Improved.			Unimproved.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic												
2. Senile												
3. With cerebral arteriosclerosis	1	3	4				1	2	3	1	1	2
4. General paralysis	3	1	4				2	1	3			3
5. With cerebral syphilis		2	2				1	2	3			3
6. With Huntington's chorea		1	1				1	1	2			2
7. With brain tumor												
8. With other brain or nervous diseases												
9. Alcoholic	30	5	35	23	2	25	5	2	7	2	1	3
10. Due to drugs and other exogenous toxins		1	1				1	1	2			2
11. With pellagra												
12. With other somatic diseases	1	10	11		1	1	1	5	6		4	4
13. Manic-depressive	18	34	52	10	15	25	7	15	22	1	4	5
14. Involution melancholia	4	1	5	3		3	1	1	2			2
15. Dementia praecox	32	28	60				23	25	48	9	3	12
16. Paranoia and paranoid conditions												
17. Epileptic psychoses		1	1					1	1			2
18. Psychoneuroses and neuroses												
19. With psychopathic personality		2	2					1	1		1	2
20. With mental deficiency	3	2	5	1		1	1	2	3			3
21. Undiagnosed psychoses		2	2					2	2			2
22. Without psychosis	5	6	11									
Total	97	102	199	37	18	55	41	64	105	14	14	28

TABLE 16. Causes of Death of Patients Classified with Reference to Principal Psychoses.

CAUSES OF DEATH.	Total.			Senile.			With cerebral arterio-sclerosis.			General paralysis.			Alcoholic.			Manic-depressive.			Involution melancholia.				
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.		
Epidemic, Endemic and Infectious Diseases.																							
Anthrax	3	1	4																				
Bacterial meningitis	1	1	2																				
Septicemic meningitis	1	1	2																				
General Diseases Not Included in Class I																							
Heart and other malignant tumors	4	6	10																				
Pellagra	1	1	2																				
Diphtheria	1	1	2																				
General diseases																							
Diseases of the Nervous System.																							
Spina dorsalis (locomotor ataxia)	1	1	2																				
Cerebral hemorrhage, apoplexy	7	18	25																				
General paralysis of the insane	20	2	22																				
Other diseases of the nervous system																							
Diseases of the Circulatory System.																							
Myocarditis and myocarditis	12	21	33																				
Coronary sclerosis	23	3	26																				
Other diseases of the circulatory system	1	1	2																				
Diseases of the Respiratory System.																							
Pneumonia	2	3	5																				
Other pneumonia	1	1	2																				
Diseases of the Digestive System.																							
Typhoid fever and enteritis																							
Non-Veneral Diseases of Genito-Urinary System and Anæmia.																							
Gonorrhœa																							
Other external causes	8	3	11																				
Other external causes	1		1																				
Total	89	66	155	3	17	20	36	14	50	20	2	22	4		4	8	12	1	1	2			

TABLE 16. Causes of Death of Patients Classified with Reference to Principal Psychoses — Concluded.

CAUSES OF DEATH.	Dementia praecox.			Paranoia and paranoid conditions.			Epileptic psychoses.			Psycho-neuroses and neuroses.			With psychopathic personality.			With mental deficiency.			All other* psychoses.			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
<i>Epidemic, Endemic and Infectious Diseases.</i>																						
fluenza																						
thargic encephalitis	1		1																			
berculosis of the respiratory system																						
<i>General Diseases Not Included in Class I.</i>	3	1	4																	1	1	2
ncer and other malignant tumors																						
llagra	2	2	4																			
abetes																						
ther general diseases																				1	2	3
<i>Diseases of the Nervous System.</i>																						
abes dorsalis (locomotor ataxia)																						
erebral hemorrhage, apoplexy																						
erebral paralysis of the insane	1	1	2																			
ther diseases of the nervous system																						
<i>Diseases of the Circulatory System.</i>																						
ndocarditis and myocarditis																						
teriosclerosis	2	3	5																			
ther diseases of the circulatory system																						
<i>Diseases of the Respiratory System.</i>	1		1																	1	1	2
onchopneumonia																						
obar pneumonia		1	1																			
sthma																						
<i>Diseases of the Digestive System.</i>																						
diarrhea and enteritis																						
<i>Non-Veneral Diseases of Genito-Urinary System and Annexa.</i>																						
ephritis	1	1	2																			
ther external causes.																						
Total	11	9	20								1	1					2	2		10	12	22

\* Includes group 22, "without psychosis."

P.D. 21

P.D. 21

TABLE 17. Age of Patients at Time of Death Classified with Reference to Principal Psychoses.

PSYCHOSES.	Total.			Under 15 years.			15-19 years.			20-24 years.			25-29 years.			30-34 years.			35-39 years.			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
Traumatic																						
Senile	3	17	20																			
With cerebral arteriosclerosis	36	14	50																	2		2
General paralysis	20	2	22																			
With cerebral syphilis		1	1																			
With Huntington's chorea																						
With brain tumor																						
With other brain or nervous diseases	2	2	4											1	1							
Alcoholic	4		4																			
Due to drugs and other exogenous toxins.																						
With pellagra		1	1																			
With other somatic diseases	7	8	15																			
Manic-depressive	4	8	12				1		1													
Involution melancholia	1	1	2																			
Dementia praecox	11	9	20				1		1	1		1		1	1	3		3				
Paranoia and paranoid conditions																						
Epileptic psychoses																						
Psychoneuroses and neuroses		1	1																			
With psychopathic personality																						
With mental deficiency		2	2																			
Undiagnosed psychoses																						
Without psychosis	1		1																			
Total	89	66	155				2		2	1		1		2	2	4		4		2		2

TABLE 17. Age of Patients at Time of Death Classified with Reference to Principal Psychoses — Concluded.

PSYCHOSES.	40-44 years.			45-49 years.			50-54 years.			55-59 years.			60-64 years.			65-69 years.			70 years and over.			
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	
1. Traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Senile	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. With cerebral arteriosclerosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. General paralysis	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	3	17	20
5. With cerebral syphilis	4	-	4	6	-	6	4	1	5	1	1	2	2	1	3	2	2	4	31	11	42	
6. With Huntington's chorea	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	
7. With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8. With other brain or nervous diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2. Alcoholic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Due to drugs and other exogenous toxins	-	-	-	-	-	-	2	-	2	1	1	1	1	-	1	-	-	-	-	-	1	
1. With pellagra	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
1. With other somatic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1. Manic-depressive	2	-	2	-	1	1	1	2	3	-	2	2	1	1	1	-	-	-	-	-	-	
1. Involution melancholia	-	-	-	1	1	-	1	2	2	2	-	2	1	1	2	-	1	1	3	1	4	
1. Dementia præcox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	
1. Paranoia and paranoid conditions	-	-	-	2	2	-	1	1	-	1	-	-	-	-	-	1	2	2	1	-	-	
1. Epileptic psychoses	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	3	1	2	3	3	
1. Psychoneuroses and neuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
With psychopathic personality	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
With mental deficiency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Undiagnosed psychoses	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
Total	6	1	7	6	4	10	8	7	15	5	4	9	7	6	13	4	8	12	44	34	78	

P.D. 21

P.D. 21

TABLE 18. Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses.

PSYCHOSES.	Total.			Less than 1 month.			1-3 months.			4-7 months.			8-12 months.			1-2 years.			3-4 years.		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Traumatic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile	3	17	20	-	1	1	1	-	1	-	4	4	-	2	2	-	5	5	1	3	4
With cerebral arteriosclerosis	36	14	50	8	1	9	8	6	14	4	1	5	5	1	6	8	3	11	1	2	3
General paralysis	20	2	22	2	-	2	-	1	1	6	-	6	1	-	1	7	1	8	4	-	4
With cerebral syphilis	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
With Huntington's chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
With brain tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
With other brain or nervous diseases	2	2	4	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
Alcoholic	4	-	4	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Due to drugs and other exogenous toxins	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
With pellagra	7	8	15	5	2	7	2	1	3	-	2	2	-	1	1	1	1	2	-	1	1
With other somatic diseases	4	8	12	1	1	2	1	1	2	-	-	-	1	-	1	1	1	2	-	-	-
Manic-depressive	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2
Involution melancholia	11	9	20	1	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Dementia præcox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paranoia and paranoid conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Epileptic psychoses	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychoneuroses and neuroses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
With psychopathic personality	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
With mental deficiency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undiagnosed psychoses	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Without psychosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	89	66	155	19	7	26	14	11	25	10	8	18	8	5	13	18	13	31	8	8	16

TABLE 18. Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses — Concluded.

PSYCHOSES.	5-6 years.			7-8 years.			9-10 years.			11-12 years.			13-14 years.			15-19 years.			20 years and over		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
1. Traumatic																					
2. Senile																					
3. With cerebral arteriosclerosis		2	2	1		1															
4. General paralysis																					
5. With cerebral syphilis																					
6. With Huntington's chorea																					
7. With brain tumor																					
8. With other brain or nervous diseases																					
9. Alcoholic																					
0. Due to drugs and other exogenous toxins																					
1. With pellagra																					
2. With other somatic diseases																					
3. Manic-depressive		3	3			1	1														
4. Involution melancholia																					
5. Dementia præcox						1	1	1	1		2	2	1	2	3		2	2	4	1	5
6. Paranoia and paranoid conditions																					
7. Epileptic psychoses																					
8. Psychoneuroses and neuroses																					
9. With psychopathic personality																					
0. With mental deficiency																					
1. Undiagnosed psychoses																					1
2. Without psychosis																					1
Total	1	5	6	2	1	3	2		2	1	2	3	1	2	3		2	2	5	2	7

P.D. 21

P.D. 21

TABLE 19. Family Care Department.

	Male.	Female.	Total.
Remaining in Family Care Oct. 1, 1928	1	6	6
On visit from Family Care Oct. 1, 1928		1	1
Admitted during year		1	1
Whole number of cases within the year		1	1
Dismissed within the year		1	1
Returned to institution		1	1
Discharged		1	1
On visit		4	4
Remaining in Family Care Sept. 30, 1929		3	3
Supported by State		7	7
Private		1	1
Self-supporting		1	1
Number of different persons within the year		0.4	0.4
Number of different persons admitted		4.4	4.4
Number of different persons during the year		3.4	3.4
Average daily number in Family Care during the year		3.4	3.4
Supported by State			
Private			
Self-supporting			

1 One returned to the hospital from Family Care on June 5, 1928, only staying in the hospital four days, returned at the end of that time back to Family Care.